1891

PERFECTION





REVISED NET PRICE LIST

FOR

STOVE CATALOGUE



Issued August, 1891

BY

The Jas. Smart Mfg. Co. Ltd., Brockville, Ontario.

ALL PRIOR LISTS CANCELLED.

PRICES, SUBJECT TO CHANGE WITHOUT NOTICE.

181-44660

Revised Net Price List

Stove Catalogue, August 1891.

ALL PRIOR LISTS CANCELLED.
PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

Cooking Stoves for Wood Only.

Catalog.	TON MINIOR	0	Net P	rices.
Page	DESCRIPTION.	No.	Square	Reserv'r
5-9	Features of the Perfection Line		1 1	
8	Bracket High Shelf		\$ 1.50	\$ 1.50
9	Fancy High Shelf		2 25	2.25
S. TUU		8-20 1		5
10-11	Perfection F	9-20	10.50	16.00
12-13	Perfection K	8-19	13.50	18.00
100	" "	9.19	13.50	18 00
	66 66	8-21	14.00	19.00
	" "	9 21	14.00	19.00
	66 66	9-23	16.co	21.00
	66 66	9-25	17.00	22 00
	(6 66	10.25	18.00	23.00
14-15	Perfection K with Low Closet in place of Legs			
	and Skirtings	8-19	15 00	19.50
	" " " "	9-19	15.00	19.50
	et 11 11 11 11	8-21	15.50	20.50
	66 66 66 66	9-21	15.50	20.50
		9-23	17.50	22 50
	(6 (6 (6 (6	9-25	18.50	23.50
The state of	66 66 66 66	10-25	19.50	24.50
16-21	Perfection 1)	S-19	14 40	19.25
Stove	66 66	9-19	14.40	19.25
or	66 66	8-21	15.75	20.25
Range	.6 66	9.21	15.75	20-25
Form	66 66	9-23	17.75	23 00
	66 66	9-25	19.00	24.00
	16 66	10-25	20.00	25.00
	Perfection D with Low Closet in place of Legs			
	and Skirtings	8-19	15.90	20.75
		9.19	15.90	20.75
	66 66 66 66	8-21	17.25	21.75
	66 66 66 66	9-21	17.25	21.75
	The contract of the contract o	9-23	19 25	24 25
	66 60 66 66 66	9-25	20.25	25.25
		10-25	21.50	26.50
24-29	Perfection A	8-19	14.40	19.25
Stove	"	9-19	14.40	19.25
or	112 11	8-21	15.75	20.25
Range	66 66	9-21	15.75	20.25
Form	66 66	9-23	17.75	23.00
	66 66	9-25	19.00	24.00
	6. 66	10-25	20.00	25.00
-		,		

683.88029

Cooking Stoves for Wood Only.

CONTINUED

Catalog.							Net 1	Prices.
Page			DESCRI	PTION.		No.	Square	Reserv'r
26-31	Perfection	on A w	ith Low (Closet in 1	place of Leg	s	1 24 11	1
Stove	a	nd Skir				. 8-19	\$15.90	\$20.75
or	66	6.6		6.6	4.6	9-19	15.90	
Range	66	66	4.6	66	66	8-21	17.25	
Form	66	66	4.6	6.6	6.6	9-21	17.25	21.75
02 F	16	.66	66	6.6	6.6	9-23	19.25	
	66	6.6	66	4.4	"	9-25	20.25	25.25
	66	-6.6	66	66		10-25	21.50	26,50
32-33	Smart's	Cook.				. 9	22.00	33.00
0 00	66	"				10	22.00	33.00
34-35	Maple (Cook				. 9	17.00	23.50
	Genesee	0 4000				. 8 & 90	13.00	1 -3.5
0 01	6.6				I'll Hirly Sept	. 9	14.00	20.20
38	Favorite					7	9.25	
11	4.6					. 8	10.50	

Elevated Oven Stoves.

39	My Choice	8	11.50	
	66 66	9	13.00	
40	Farmer's Cook with Grate, Pipe Top	9	17.50	
20		10	17.75	
	" " " Back	9	18.00	
	66 66 66 66 66	10	18.25	
11	Farmer's Cook with Closet, Pipe Top	9	19.50	
3	(6 (6 (6 (6 (6 (6	10	20.00	
	" " Rack	9	20,CO	
	66 66 66 66 66 66 66 66 66 66 66 66 66	10	20.25	
2	Perfection A Direct	9-21	14.50	
	Mary and the same to the same	9-25	16.50	
	" Cut Off	9-21	15.00	
	Cut Out	9-25	17.00	

Coal and Wood Ranges.

44	[Perfection B	8-20	23 00	27.00
to	(6	9-20	23.00	27.00
	44	8-22	25.00	29.00
45	"	9-22	25.00	29.00
46	High Shelf, all sizes, extra		2.75	2.75
48	High Closet, " "		5 00	5.00
	Water Front, with Iron Couplings extra	8-20	2.50	
		9-20	2.50	
		9-22	3.00	
51	Paris Range with Reservoir	9.22	DATE OF THE PARTY	30.00
	" Eight 9-inch holes, without Reservoir		27.00	
	" " High Shelf extra		2.75	2.75
	Water Front		3.00	
62	Wren, 5 hole Range	8-15	10.00	

Coal and Wood Cooking Stoves.

Catalog.			Net Prices.	
Page	DESCRIPTION.	No.	Square	Reserv'i
	THE RESERVE OF THE PARTY OF THE	0		
52	Saxon Boy	8	12.00	17.00
		9	12 00	17.00
8	Bracket High Shelf		1.50	
9	Fancy "		2.25	1
54	Saxon	8	14.50	21.00
54	46	90	14.50	21.0
54	**	9	17.00	23.50
56	Perfection M	8-20	14.50	
	66	9.20	14.50	
	66	9-22	17.00	22.00
58	Perfection E	8-20	15.50	
	64	9-20	15.50	
	66	9.22	18.25	
81	Favorite Hotel Cook with Planished Copper Tank			
	and Cast Closet	10	Sec. 3	42.00
	Coal Linings extra		1000	3.50

Coal Heating Stoves.

Catalog. Page	DESCRIPTION.	No.	Net Price.
64	Palace Aladdin, straight	5	25.50
	66 66		27.50
	" with oven	6	29.50
66	Golden Star, with Plain Foot Rail	12	8.00
		15	11.00
	" " Plated " "	12	9.00
		15	12.00
67	Gem Perfection, with Plain Foot Rail	50	8.00
	" extra finish	50	9.00
68	Alaska	14	14.00
	46	16	16.50
		18	18.50
	"	20	19.50
98	<u> </u>	21	19-50
69	Belle	10	3.00
	"	11	3.50
	"	13	4.50
	***************************************	9	2.25
70	Dandy Perfection	10	2.75
MARKE -	"	12	3.50
Philips .	66 66	14	4.00
00.05		15	5.00
71	Dandy Perfection, for Sheet Iron Top	9	2.50
1.	" " " " " " "	10	3.00
012	66 66 66 66 66	12	3.75
	11 11 11 11 11	14	4.25
7.6500		15	5.25
71	Dandy Perfection, with Sheet Iron Top	9	2 75
Can de	61 66 66 66 66	10	3.25
	11 11 11 11 11 11	12	4.00
-120		14	4.50
		15	5.50
79	Rose bud	17	7.00
",			

Wood Heating Stoves.

Catalog. Page	DESCRIPTION.	No.	Net Price.
73	Popular Perfection, without Syphon Flu-	e 22	9.00
- 50		26	11.00
115	" with " "	22	10.00
	:	26	12.00
75	Sanitary Perfection, without Syphon Flu	ie 22	12.0
		26	14.0
	with	22	13.0
	46 46 46 46	26	15.00
77	Popular Perfection, Franklin Style		9.7
		26	11.5
77	Sanitary " "	22	12.7
	(6 (6 (6)	26	14.5
78	Ruby	23	9.5
	"	27	10.0
79	Rosebud	17	6.5

Box Stoves.

80	Canada	25	5.29
	***************************************	31	8.00
31	St. Joe	22	3.7
		25	4.50
		31	5.60
		36	8.50
82	Pert	16 in.	2.50
		18 in.	3.50
83	Perfection II, Double Box, Doors on one side	30	10.0
	" " " " " " " "	36	11.5
	" " " on both sides	30	10.5
		36	12.0
84	Farmer's Boilers, complete	30	11.5
	" " "	40	13.50
		50	18.00
	Kettles only	30	3.50
	" "	40	5.7.
	**	50	6.0

Miscellaneous.


Catalog.	DESCRIPTION,	Disc't Per cent
rage	DIIGUILIUM,	rer cent
92-96	Registers—Japanned	60
92-90	"—Nickle Plated	50
93	Registers, Smoke Pipe-	30
DOLD .	(7 inch, each, \$1.00	Net.
	Japanned. { 8 inch, each, 1.20	
	(9 inch, each, 1.20	66
	Nickel Plated \ 8 inch, each, 1.50	
	9 inch, each, 1.50	
97	Sugar Kettles, per pound, 3\(\frac{1}{2}\)c	+6
97	Sugar Kettles, per pound, 3¼c	6.6
98-99	Hollow Ware, Tea Kettles, Scotch Bowls	25 % 10
98	Acme Fry Pans—Nos. 1, 2, 3, 4, 5, 6	No
- 00	\$1 65 1.88 2.10 2.30 2.65 3.00 Chaudrons or Camp Ovens, per pound, 4c	Net.
99	Cake and Roll Pans.	20
101	Waffle Irons	62 1/2
102	Stove Lid Lifters	50
66	Coffee Pot Stands	30
66	Slicer Bar or Poker, per dozen, \$1.50	Net.
103	Tin Stove Furniture	25 25
104	Stove Pipe Dampers	50
105		
106	Mrs. Potts' Irons, per set, Plain, 85c.; Plated, \$1.20	50 Net.
	" Broken sets \$2.25	40
66	" Handles only, per dozen, \$2.25 Troy Polishing Irons, per dozen, \$5.75	Net.
107	Self-heating Irons	50
	Sad Iron Stands	50
66	Sad Irons, per 100 lbs, Japanned, \$3.25; Gold Lacquered, \$4.75;	
G.I.	Nickel Plated, \$5.75	Net.
108		66
100	126, \$6.00	
"	Wrought Coal Shovels, per doz., No. 70, 48c.; 55, 75c.; 57, 95c.	6.6
110	Wrought Coal Shovels, per doz., No. 70, 48c.; 55, 75c.; 57, 95c. Carpet Sweepers, per dozen. Magic, \$22.00; Crown Jewel,	
	\$26.00; Grand Rapids, \$33.00	66
111	Barrel Churns	50& 10 Net.
112	Flour Sifters, per dozen, \$2.00	50
"	"Stove Trucks	50
113	Dee's Stove Carriers	50
114	Cast Sinks—Ordinary, each, 14x20, 75c.; 15x27, 85c.; 16x24,	100
	85c.; 16x30, \$1.10; 18x24, \$1.12; 18x30, \$1.20; 18x36,	
	\$1.65; 18x42, \$2.50; 20x36, \$2.10; 20x40, \$2.40; 24x38, \$2.60	Net.
6.6	Cast Sinks—Magee pattern	
115	Sap Spouts, "Eureka" and "Willis"	50
116	Creamer Gates Nos. 50, 150, 250	5)
44	" per dozen, Nos. 10, \$1.30; 100, \$1.40; 200, \$1.60	Net.
118	Special Discount for quantities on application. Cheese Press Screws	50
118	Cheese Vat Gates, Nos. 1 and 2	40
61	" " No. 6, \$1.25 each	Net.
.6	Curd Sink Casters	40

Miscellaneous.

CONTINUED.

Catalog. Page	DESCRIPTION.	Disc't Per cent
119	Clothes Reel Irons	50
120	Clothes Wringers, per dozen:	1000
	10 in. 11 in. 12 in. Rolls.	
	Novelty, \$32.00 \$32.50 \$44.00	Net.
	Royal Canadian, 33.00	66
	"Dominion, 32.50 33.00 48.00	66
121	Empire Tub Benches, per dozen, \$13.00	66
44	"Washers, per dozen, \$21.00	66
	" Mangles, each, \$10.00 Enterprise Meat Cutters	20
122	Hales Meat Cutters, No. 1 \$1.30 each	Net.
123	Dixons " each, No. 30, \$1.30; No. 40, \$1.50	66
123	Mest and Veretable Channers each Nos I \$4.25.2 5.25.3, 6.50	6.
66	Sausage Stuffers, Stow's Pattern, each, Nos. o, \$1.30; 1, \$1.05	Net.
124	Sausage Stuffers, Stow's Pattern, each, Nos. 0, \$1.30; 1, \$1.05. Carver's Friend. Steak Hammers, per dozen, Nos. 1, \$1.80; 2, \$2.00.	331/3
	Steak Hammers, per dozen, Nos. 1, \$1.80; 2, \$2.00	Net.
4.6	Clothes Pins, per gross, 50c	6.6
125	Lamp Burners, per dozen, Nos 0, 65c; 1, 75c; 2, \$1.05	6.
6.	Lantern Burners, per dozen, Nos. 1, 95c; 2, \$1.25	"
6.6	Tubular Lanterns	45
126	Tinner's Snips, each, Nos. 7, \$2.10; 8, \$1.65; 9, \$1.35	Net.
	Rivet Sets, per dozen, Nos. 2, \$2.25; 3, \$3.00	. 6
	Soldering Coppers, per pound, 1 lb. 32c; 1½ lb. and up, 30c	
129	Cistern Pumps Pitch or Smart Pumps First 2 2 and 44	50,10
130	Pitcher Spout Pumps, Figs. 2, 3 and 44	45
131-	138 Engine Well Pumps.	40
139-	141 House Force Pumps	40
141	Wind Mill Force Pumps	40
142	Two Cylinder Force Pump	40
143	Drive well Points, each \$1.75	Net.
"	Pump Cylinders	60
6.6	Strainer and Rest	40
6.6	Brass Hose Couplings, 1/2 in., \$1.00; 3/4 in., \$1.25; 1 in., \$2 60	
	1 ¼ in., \$5.00	Net.
"	Goose Necks	40
144	Brass Discharge Pipes	60
	Foot Valves	60
6.6	Check Valves	40,10
4.6	Champion Force Pump, per dozen, \$19.00	Net.
	manipour rotee rump, per mozen, \$19.00	1 1.00.





The James Smart Mfg. Co.

LIMITED,

BROCKVILLE, ONTARIO, CANADA.

ILLUSTRATED AND DESCRIPTIVE

CATALOGUE AND WHOLESALE PRICE LIST

OF

STOVES: RANGES

FURNACES

AND

REGISTERS

Issued: August: 1891.

OFFICE, WAREHOUSE AND WORKS

Home and Gourlay Streets,
Brockville, Ont., Can.

Eastern Branch:

431 St. Paul St., Montreal, Que.

181-94660



683.88029 J115.3

Terms.

ON STOVES, FURNACES, HOLLOW WARE AND TIN FURNITURE.

- Four months, dating from the end of the month in which goods are shipped. All accounts to be settled by note or cash.
- Goods supplied during the months of July, August and September, will date as 30th of September—four months.
- Freight will be allowed to Customer's nearest Railway Station or Steamboat Landing, on Stoves and Hollow Ware, but not on repairs unless in lots of 200 lbs. or over.
- Safe delivery guaranteed to Customer's nearest Railway Station or Steamboat Landing.
- Cash Discount within thirty days from 1st of month following shipment 5%. The amount of freight must in all cases be deducted before cash discount is calculated.

Interest at 8% will be charged on all renewals and overdue accounts.

We ship no goods "on commission" nor to be paid for when sold.

Prices in this list include Black Leading and Cartage.

ON OTHER GOODS.

Four months from date of shipment, or 5% discount for cash in thirty days. Delivery: Brockville, Montreal or Toronto.

Perfection . Stoves . Ranges . Rurnaces . and . Registers.

Index.

Cooking Stoves and	Ranges for Wood.
Pages.	Pages,
Perfection A 24 to 31	Favorite
Perfection F	Genesee
Perfection K	Smart's Cook
Elevated Oven S	
Farmer's Cook	Perfection E Oven
My Choice	
Cooking Stoves for	
Perfection E	Saxon Boy 52 to 53
Perfection M	Saxon 54 to 55
Ranges for Co	oal and Wood.
Perfection B	"Paris" Range. 50 to 51
Oven	
Hotel	
Favorite Hotel Cook	60
Heating Sto	ve for Coal.
Palace Aladdin Art Base Burner 63 to 65	Alaska, 68
Perfection, Gem	Belle 69 Golden Star 66
Perfection, Sanitary	Rosebud 79
	res for Wood.
	Ruby, Todd 87
Perfection, Popular Perfection, Sanitary 72 to 77	Rosebud 79
Canada, Box Stove	Perfection H Double Box Stove (
Pert, Box Stove 82	Double Box 200.0 1
Farmer's	
Farmer's Boilers	
Furn	aces.
Perfection, Warm Air and Combined Warm Air	r and Hot Water, for Coal and Wood, 85 to 91
	sters.
Perfection, Japanned and Nickel Plated	
Hollow-ware	
Hollow-ware, Sugar Kettles, Cauldrons, Tin Fu	rniture 97 to 103
Stove Pipe Dampers	ating 106 to 107
Fire Shovels Fire Iron Sets Carnet Sweeners	108 to 111
Adjustable Fire Racks Stove Trucks Stove Ca	rriers Sinks 112 to 114
rap Spouts, Creamer Gates, Cheese Vat Gates. Clothes Reels, Wringers, Mops.	119 to 121
Meat Cutters, Sausage Stuffers,	122 W 123
Lanterns, Burners, Clothes Pins, Etc.	124 to 123
Stove Repairs	127 to 128
Pun	
Pumps	
rumpsa	

Cooking Stoves and Ranges.

FOR WOOD ONLY.

Features of the Perfection Line.

THE FIRE BOX

Full Length.
Sectional Knobbed Fire Backs, Ventilated.
Extra Heavy Bottom Fire Grate.
Large Feed Door at both ends of Fire Box.

THE OVEN.

Shape of Perfection Oven.

Shape of Other Ovens.

No. 1.

No. 2


No. I is shape of Perfection Ovens made from our own original wood patterns. This oven is symmetrical and provides large capacity as well as other excellent features.

No. 2 is a deformed shape of oven and belongs to an old fashioned class of stoves. Stoves of this form, even when re-dressed, are out of date.

Perfection productions are what the name implies.

Perfection . Stoves . Ranges . Rurnaces . and . Registers.


Features of the Perfection Line.



PERFECTION PATENTED OVEN BOTTOM

This Patented Oven Bottom is one of the most saleable features of Perfection Stoves and Ranges. The projections on its surface allow free circulation of air underneath the pan, so that "burning on the bottom" is practically impossible, and "browning on the bottom" always certain.

Features of the Perfection Line.



ROUNDING BOTTOM COPPER TANK.

This Tank presents more heating surface and is more easily cleaned than any other form, and a smaller quantity of water can be heated and dipped out.

PERFECTION STOVES AND RANGES ALSO HAVE:

Rounded Flues.

Ample Draft Openings.

Large Pipe Collar.

Heavy Double Centers.

Heavy Perfection Covers.

Finely Polished Edges.

Beauty of Design.

High Quality Material and Thorough Workmanship.

Rerfection · Stodes · Ranges · Eurnaces · and · Registers.

Features of the Perfection Line. .



BRACKET HIGH SHELF.

This Bracket High Shelf fits all sizes and styles of Perfection Stoves and Ranges for Wood.

Can also be attached to any other style of Stove, and should be kept in stock by all dealers.

Price.

Each \$2.20

Perfection · Stoves · Ranges · Rurnaces · and · Registers.

Features of the Perfection Line.




FANCY HIGH SHELF.

This Fancy High Shelf fits all styles and sizes of Perfection Stoves and Ranges for Wood.

Can also be attached to any other style of Stove, and should be kept in stock by all dealers.

Price.

Each......\$3.25




WOOD COOK.

Description.

Perfection F Stoves have Nickeled Knobs, but otherwise are without Nickel Ornamentation, and also Leg Skirtings, Tiles, Tin Lined Oven Doors, Polished Edges, etc.

	Prices,	Square.						
8-20					\$15.33			
9-20								
Dimensions in Inches.								
Length.	Size or Ov Width.	VEN. Height.	Width of Oven Rack.	Fire Box Length.	Height with Legs.			
8-20 and 9-20 18	20	12	12	25	29			

Perfection . Stoves . Ranges . Burnaces . and . Registers.



WOOD COOK, WITH RESERVOIR.


Description.

Perfection F Stoves have Nickeled Knobs, but otherwise are without Nickel Ornamentation, and also Leg Skirtings, Tiles, Tin Lined Oven Doors, Polished Edges, etc.

All Perfection Stoves are thoroughly well fitted.

	Length.	SIZE OF OVEN. Width.	Height	Width of Oven Rack.	Fire Box Length	Height with Legs.
8-20	 18	20	12	12	25	29
9-20					W	

Perfection . Stoves . Ranges . Furnaces . and . Registers.



WOOD COOK, WITH RESERVOIR.

Perfection K Stoves have Nickel Ornamentation, but are not furnished with Leg Skirtings, Tiles, Tin Lined Oven Doors, etc., but are thoroughly well fitted, and have same body as our Perfection A and D.


			Prices.					
	9-19		9-21	, ,	9-25	10-25		
\$20.50	\$20.50	\$27.00	\$27.00	\$30.25	\$31.50	\$32.50		

Dimensions in Inches.

		Length.	Size of Width.	OVEN. Height.	Width of Oven Rack.	Fire Box Length.	Height with Legs.
8-19 and	9-19	19	19	131/2	111/2	26	28
8-21 and	9-21	. 21	20	131/2	13	26	28
	9-23		23	141/2	141/2	29	29
9-25 and 1	0-25	. 25	24	16	171/2	29	30

Perfection Rounded Bottom, Copper Tank, page 7.
Perfection Patented Oven Bottom, Page 6.
Bracket and Fancy High Shelves, pages 8 and 9.

Perfection · Stoves · Ranges · Rurnaces · and · Registers.



WOOD COOK.

Description.

Perfection K. Stoves have Nickel Ornamentation, but are not furnished with Leg Skirtings, Tiles, Tin Lined Oven Doors, etc., but are thoroughly well fitted and have same body as our Perfection A and D.

Prices, Square.

8-19	9-19	8-21	9-21	9-23	9-25	10-25
\$19.90	\$19 90	\$20.12	\$20.42	\$22.80	\$24.50	\$25.50

Dimensions in Inches.

Length.	SIZE OF OVER Width.	N. Height.	Width of Oven Rack.	Fire Box Length.	Height with Legs.
8-19 and 9-19 19	19	131/2	111/2	26	28
8-21 and 9-21 21	20	131/2	13	26	28
9-23 22	23	141/2	141/2	29	29
9-25 and 10-25 25	24	16	171/2	29	30

Perfection Patented Oven Bottom, page 6. Bracket and Fancy High Shelves, pages 8 and 9.

Perfection . Stoves . Ranges . Burnaces . and . Registers.



WOOD COOK, WITH LOW CLOSET.

Description.

Perfection K Stoves have Nickel Ornamentation, but are not furnished with Leg Skirtings, Tiles, Tin Lined Oven Doors, etc., but are thoroughly well fitted and have same body as our Perfection A. and D.

Prices.

Square, with Low Closet in place of Legs and Skirtings.


8-19	9-19	8-21	9-21	9-23	9-25	10.25
\$22.40	\$22.40	\$22.89	\$22.89	\$25.46	\$27.16	\$28.16

Dimensions in Inches.

					Width o	of Fire	Height			
		St	ZE OF OV	EN.	Oven	Box			OF CLO	
		Length.	Width.	Height.	Rack.	Length.	Closet.	Length.	Width.	Height.
8-19 and	9-19	19	19	131/2	111/2	26	30	22	19	9
8-21 and	9-21	21	20	13/2	. 13	26	30	24	19	9
	9-23		23	141/2	141/2	29	31 1/2	26	21	IO
9-25 and	10-25	25	24	16	17 1/2	29	32	28	21	10

· Perfection Patented Oven Bottom, page 6. Bracket and Fancy High Shelves, pages 8 and 9.

Perfection · Stoves · Ranges · Burnaces · and · Registers.



WOOD COOK, WITH RESERVOIR AND LOW CLOSET.

Description.

Perfection K Stoves have Nickel Ornamentation, but are not furnished with Leg Skirtings, Tiles, Tin Lined Oven Doors, etc., but are thoroughly well fitted and have same body as Perfection A and D.

Prices.

With Reservoir and Low Closet in place of Legs and Skirtings.


8-19	9-19		9-21		9-25	10-25
\$28.90	\$28.90	\$29.47	\$29.47	\$32.91	\$34.16	\$35.16

Dimensions in Inches.

		S12	SIZE OF OVEN			Fire	Height	Si	Size of Closet			
					of Oven		with					
		Length.	Width.	Height.	Rack.	Length.	Closet.	Length.	Width.	Height.		
8-19 and		19	19	131/2	111/2	26	30	22	19	9		
8-21 and	9-21	21	20	131/2	13	26	30	24	19	9		
	9-23	22	23	141/2	141/2	29	31 1/2	26	21	10		
9-25 and 1	10-25	25	24	16	171/2	20	32	28	21	IO		

Perfection Patented Oven Bottom, page 6. Perfection Rounded Bottom Copper Tank, page 7. Bracket and Fancy High Shelves, pages 8 and 9.

Perfection · Stoves · Ranges · Rurnaces · and · Registers.



WOOD COOK, WITH UPPER AND LOWER SHELVES.

Description.

Perfection D Stoves have Nickel and Tile Ornamentation, Tin Lined Oven Doors, Highly Polished Edges, and are finished throughout in a strictly first-class manner.

Slide Hearth drops when pulled out, as shown in cut.


			Prices.			
8-19 \$21.00	9-19 \$21.25	8-21 \$23.00	9-21 \$23.33	9.23 \$26.00	\$28 00	\$29.33

Dimensions in Inches.

		SIZE OF OVE	N.	Width of		
	Length.	Width	Height.	Oven Rack.		with Legs
8-19 and 9-19	19	19	131/2	111/2	26	29
8-21 and 9-21	21	20	131/2	13	26	29
9-23	23	33	141/2	141/2	29	30
9.25 and 10-25	25	24	16	171/2	29	31

Perfection Patented Oven Bottom, page 6. Bracket and Fancy High Shelves, pages 8 and 9.

Perfection. Stoves . Ranges . Rurnaces . and . Registers.



WOOD COOK, WITH RESERVOIR AND TWO LOWER SHELVES.

Description.

Perfection D Stoves have Nickel and Tile Ornamentation, Tin Lined Oven Doors, Highly Polished Edges, and are finished throughout in a strictly first class manner. Slide Hearth drops when pulled out, as shown in cut.


			Prices.			
8-19	9-19	8-21	9-21	9-23	9-25	10-25
\$28-74	\$28.93	\$29.67	\$30.00	\$33.60	\$35.00	\$36.33

Dimensions in Inches.

		8	SIZE OF OVE	IN.	Width of	Fire Box	Height
		Length.	Width	Height.	Oven Rack.	Length.	with Legs
8-19 and	9-19	19	19	131/2	111/2	26	29
8-21 and	9.21	21	20	131/2	13	26	29
	9-23	22	23	141/2	141/2	29	30
9-25 and	10-25	25	24	16	17 1/2	29	31

Perfection Rounded Bottom Copper Tank, page 7.
Perfection Patented Oven Bottom, page 6.
Bracket and Fancy High Shelves, pages 8 and 9.

Perfection . Steves . Ranges . Rurnaces . and . Registers.



WOOD COOK, WITH CLOSET AND UPPER AND LOWER SHELVES

Description.

Perfection D Stoves have Nickel and Tile Ornamentation, Tin Lined Oven Doors, Highly Polished Edges, and are finished throughout in a strictly first class manner. Slide Hearth drops when pulled out, as shown in cut.

Prices.

With Low Closet in place of Legs and Skirtings.


8-19	9-19	8-21	9-21	9-23	9-25	10-25
\$23.33	\$23.47	\$25.47	\$25.80	\$28.00	\$30.66	\$32.00

Dimensions in Inches.

	Size	OF OVER.	Width o	of Fire Box	Height with		OF CLO	SET.
	Length. W	idth. Hei	ght. Rack.	Length.	Closet.	Length.	Width.	Height.
8-19 and 9-19	19	19 13	1/2 111/2	26	30	22	19	9
8-21 and 9-21	21	20 13	1/2 13	26	30	24	19	9
9-23	22	23 14	1/2 141/2	29	31 1/2	26	21	10
9-25 and 10-25	25 2	24 16	171/2	29	32	28	21	01

Perfection Patented Oven Bottom, Page 6. Bracket and Fancy High Shelves, pages 8 and 9.

Perfection · Stoves · Ranges · Furnaces · and · Registers.



WOOD COOK, WITH RESERVOIR AND LOW CLOSET AND TWO LOWER SHELVES.

Description.

Perfection D Stoves have Nickel and Tile Ornamentation, Tin Lined Oven Doors, Highly Polished Edges and are finished throughout in a strictly first-class manner. Slide Hearth drops when pulled out, as shown in cut.

Prices.

With Reservoir and Low Closet in place of Legs and Skirtings.


8-19	9-19	8-21	9-21	9-23	9-25	\$39.00
\$31-04	\$31.20	\$32.00	\$32.47	\$35.66	\$37.67	

Dimensions in Inches.

		Size	of Ovi	EN.	Width of Oven	Fire Box	Height	SIZE	or CLOSI	ET.
0	1	Length.	Width.	Height.		Length.		Length.	Width.	Height.
8-19 and			19	131/2	111/2	26	30	22	19	9
8-21 and	-		20	131/2	13	. 26	30	24	19	9
	9-23		23	141/2	141/2	29	31 1/2	26	21	10
9 25 and	10-25	25	24	16	17 1/2	29	32	28	21	IO

Perfection Patented Oven Bottom, page 6. Perfection Rounded Bottom Copper Tank, page 7. Bracket and Fancy High Shelves, pages 8 and 9.

Perfection . Stoves . Ranges . Rurnaces . and . Registers.



RANGE, SQUARE, FOR WOOD ONLY, WITH UPPER AND LOWER SHELVES.

Description.

Perfection D Ranges have Nickel and Tile Ornamentation, Tin Lined Oven Doors, Highly Polished Edges and are finished throughout in a strictly first-class manner. Slide Hearth Drops when pulled out, as shown in cut.

			Prices.			
8-19	9-19	8-21	9-21	9-23	9-25	10-25
\$21.00	\$21.14	\$23.00	\$23.33	\$26.00	\$28.00	\$29.33

Dimensions in Inches.

	SIZE OF OVEN.			Width of		Height
	Length.	Width.	Height.	Oven Rack.	Length.	with Legs.
8-19 and 9-19	. 19	19	131/2	111/2	26	29
8-21 and 9-21	. 21	20	131/2	13	26	29
9-23		23	14/2	14/2	29	30
9-25 and 10-25	. 25	24	16	17 1/2	29	31

Perfection Patented Oven Bottom, page 6. Bracket and Fancy High Shelves, pages 8 and 9.

Rerfection . Stoves . Ranges . Furnaces . and . Registers.



RANGE, FOR WOOD ONLY, WITH RESERVOIR AND TWO LOWER SHELVES.

Description.

Perfection D Ranges have Nickel and Tile Ornamentation, Tin Lined Oven Doors, Highly Polished Edges and are finished throughout in a strictly first-class manner. Slide Hearth Drops when pulled out, as shown in cit.


		Prices.			
8-19	8-21	9-21	9-23	9-25	10-25
\$28.74	\$29.67	\$30.co	\$33 60	\$35.00	\$36.33.

Dimensions in Inches.

		IZE OF OVE	EN.	Width of	Fire Box	Height
		Width.	Height.	Oven Rack.	Length.	with Legs.
8-19 and 9-19		19	131/2	111/2	26	29
8-21 and 9-21	. 21	20	131/2	13	26	29
9.23		23	141/2	141/2	29	30
9-25 and 10-25	. 25	24	16	17 1/2	29	31

Perfection Rounded Bottom Copper Tank, page 7.
Perfection Patented Oven Bottom, page 6.
Bracket and Fancy High Shelves, pages 8 and 9.

Perfection . Stodes . Ranges . Rurnaces . and . Registers.



RANGE, FOR WOOD ONLY, WITH LOW CLOSET AND UPPER AND LOWER SHELVES.

Description.

Perfection D Ranges have Nickel and Tile Ornamentation, Tin Lined Oven Doors, Highly Polished Edges, and are finished throughout in a strictly first class manner. Slide Hearth drops when pulled out, as shown in cut.

Prices.


	AA ILLI I	Low Closet II	place of	Legs and Si	kirtings.	
8-19	9-19	8-21	9-21	9.23	9-25	10-25
\$23.33	\$23.47	\$25.47	\$25.80	\$28.00	\$30.66	\$32.00

Dimensions in Inches.

		IZE OF O	VEN.	Width of Oven	Box	Height with	SIZE	OF CLO	SET.
	Length.	Width.	Height.	Rack.	Length.	Closet.	Length.	Width.	Height.
8-19 and 9-19	19		131/2	111/2	26	30	22	19	9
8-21 and 9.21		20	131/2	13	26	30	24	19	9
9-23		23	14/2	141/2	29	31 1/2	26	21	10
9-25 and 10-25	25	24	16	17 1/2	29	32	28	21	10

Perfection Patented Oven Bottom, page 6. Bracket and Fancy High Shelves, pages S and 9.

Reflection . Stoles . Ranges . Rurnaces . and . Registers .



RANGE, FOR WOOD ONLY, WITH RESERVOIR, LOW CLOSET AND TWO LOWER SHELVES.

Description.

Perfection D Ranges have Nickel and Tile Ornamentation, Tin Lined Oven Doors, Highly Polished Edges, and are finished throughout in a strictly first class manner. Slide Hearth Drops when pulled out, as shown in cut.

Prices.


	WILL	ow Closet	in place of	Legs and D	Kirtings.	
8-19	9-19	8-21	9-21	9-23	9-25	\$39.00
\$31.04	\$31.20	\$32.00	\$32.47	\$35.66	\$37.67	

Dimensions in Inches.

	The L				Width of	Fire	Height			
		SIZE OF OVEN.			Oven	Box	with	SIZE OF CLOSET.		
		Length.	Width.	Height.	Rack.	Length.	Closet.	Length.	Width.	Height.
8-19 and	9-19	19	19	131/2	111/2	26	30	22	19	9
8-21 and	9-21	21	20	131/2	13	25	30	24	19	9
	9-23	22	23	141/2	141/2	29	31 1/2	26	21	10
9-25 and	10-25	25	24	16	17 1/2	29	32	28	21	10

Perfection Patented Oven Bottom, page 6. Perfection Rounded Bottom Copper Tank, page 7. Bracket and Fancy High Shelves, pages 8 and 9

Perfection . Stoves . Ranges . Rurnaces . and . Registers.



WOOD COOK, WITH UPPER AND LOWER SHELVES.

Description.

Perfection A Stoves have Nickel and Tile Ornamentation, Tin Lined Oven Doors, Highly Polished Edges and are finished throughout in a strictly first-class manner. Large, Smooth Slide Hearth.


Prices.								
8-19	9-19	8-21	9-21	9-23	9-25	10-25		
\$21.00	\$21.14	\$23.00	\$23.33	\$26.00	\$28.00	\$29.33		

Dimensions in Inches.

		ZE OF OVE	IN.	Width of	Fire Box	Height.
	Length.	Width.	Height.	Oven Rack.	Length.	with Legs.
8-19 and 9-19		19	131/2	111/2	26	29
8-21 and 9-21	. 21	20	131/2	13	26	29
9-23		23	141/2	141/2	29	30
9-25 and 10-25	. 25	24	16	171/2	29	31

Perfection Patented Oven Bottom, page 6. Bracket and Fancy High Shelves, pages 8 and 9.

Perfection . Stoves . Ranges . Rurnaces . and . Registers.



WOOD COOK, WITH RESERVOIR AND TWO LOWER SHELVES.

Description.


Perfection A Stoves have Nickel and Tile Ornamentation, Tin Lined Oven Doors, Highly Polished Edges, and are finished throughout in a strictly first class manner. Large, Smooth Slide Hearth.

			Prices.			
8-19	9-19	8-21	9-21	9·23	9-25	10.25
\$28.74	\$28.93	\$29 67	\$30.00	\$33.60	\$35.00	\$36.33

Dimensions in Inches.

			Si	ZE OF OVEN		Width of	Fire Box	Height
			Length.	Width,	Height.	Oven Rack.	Length.	with Legs
		9-19		19	131/2	111/2	26	29
8-21 2	and	9-21	21	20	13	13	26	29
		9-23		23	141/2	141/2	29	30
9-25	and	10-25	25	24	16	171/2	29	31

Perfection Rounded Bottom, Copper Tank, page 7.
Perfection Patented Oven Bottom, Page 6.
Bracket and Fancy High Shelves, pages 8 and 9.



WOOD COOK, WITH CLOSET AND UPPER AND LOWER SHELVES.

Description.

Perfection A Stoves have Nickel and Tile Ornamentation, Tin Lined Oven Doors. Highly Polished Edges and are finished throughout in a strictly first-class manner. Large Smooth Side Hearth.

Prices.


With low closet in place of Legs and Skirtings.

8-19	9-19	8-21	9-21	9-23	9-25	10-25
\$23.33	\$23.47	\$25.47	\$25.80	\$28.00	\$30.66	\$32.00

Dimensions in Inches.

	SIZE OF OVEN			Width of Oven		Height	Si	Size of Closet.		
	Length.	Width.					Length.	Width.	Height.	
8-19 and 9-19.	19	19	131/2			30	22	19	9	
8-21 and 9-21	21	20	131/2	13	26	30	24	19	9	
9-23		23	14 1/2	141/2	29	311/2	26	21	10	
9-25and 10-25	25	24	16	17 1/2	29	32	28	21	10	

Perfection Patented Oven Bottom, page 6. Bracket and Fancy High Shelves, pages 8 and 9.



WOOD COOK, WITH RESERVOIR AND LOW CLOSET, AND TWO LOWER SHELVES.

Description.

Perfection A Stoves have Nickel and Tile Ornamentation, Tin Lined Oven Doors, Highly Polished Edges and are finished throughout in a strictly first class manner. Large Smooth Slide Hearth.

Prices.

With Low Closet in place of Legs and Skirtings.

8-19	9-19	8-21	9-21	9-23	9-25	10-25
\$31.04	\$31.20	\$32.00	\$32.47	\$35.66	\$37.67	\$39 00

Dimensions in Inches.

	SIZE OF OVEN.			Width of Oven		Height with	Size	of CLos	ET.
	Length.	Width.			Length.		Length.	Width.	Height.
8-19 and 9-19		19	131/2	11/2	26	30	22	19	9
8-21 and 9-21	21	20	131/2	13	26	30	24	19	9.
9-23		23	141/2	14/2	29	31 1/2	26	21	10
9-25 and 10-25	25	24	16	17 1/2	29	32	28	21	10

Perfection Patented Oven Bottom, page 6. Perfection Rounded Bottom Copper Tank, page 7. Bracket and Fancy High Shelves, pages 8 and 9.



RANGE, SQUARE, FOR WOOD ONLY, WITH UPPER AND LOWER SHELVES.

Pipe hole at side instead of end, as shown in cut.

Description.


Perfection A Ranges have Nickel and Tile Ornamentation, Tin Lined Oven Doors, Highly Polished Edges and are finished throughout in a strictly first class manner. Large smooth Slide Hearth.

			Prices.			
8-19	9-19	8-21	9-21	9·23	9-25	10-25
\$21.00	\$21.14	\$23.00	\$23.33	\$26.00	\$28.00	\$29.33

Dimensions in Inches.

		S	IZE OF OVEN		Width of	Fire Box	Height	
		Length.	Width.	Height.	Oven Rack.	Length.	with Legs	
8-19 an	d 9-19	19	19	131/2	111/2	26	29	
8-21 an	id 9-21	21	20	131/2	13	26	29	
	9-23		23	141/2	141/2	29	30	
9-25 an	d 10-25	25	24	16	17 1/2	29	31	

Perfection Patented Oven Bottom, page 6. Bracket and Fancy High Shelves, pages 8 and 9.



RANGE, FOR WOOD ONLY, WITH RESERVOIR AND TWO LOWER SHELVES.

Front lower shelf not shown in cut.

Description.

Perfection A Ranges have Nickel and Tile Ornamentation, Tin Lined Oven Doors, Highly Polished Edges and are finished throughout in a strictly first-class manner. Large Smooth Slide Hearth.


Prices.

8-19	9-19	8-21	9-21	9-23	9-25	10-25
\$28.74	\$28.93	\$29.67	\$30.00	\$33.60	\$35.00	\$36.33

Dimensions in Inches.

		E OF OVEN.		· Width of	Fire Box	Height
	Length.	Width.	Heig' t.	Oven Rack.	Length.	with Legs.
8-19 and 9-19	. 19	19	131/2	111/2	26	29
8-21 and 9-21	21	20	131/2	13	26	29
9-23	. 22	23	141/2	141/2	29	30
9-25 and 10-25	. 25	24	16	17 1/2	29	31

Perfection Rounded Bottom Copper Tank, page 7.
Perfection Patented Oven Bottom, page 6.
Bracket and Fancy High Shelves, pages 8 and 9.



RANGE, FOR WOOD ONLY, WITH LOW CLOSET AND UPPER AND LOWER SHELVES.

Description.

Perfection A Ranges have Nickel and Tile Ornamentation, Tin Lined Oven Doors, Highly Polished Edges and are finished throughout in a strictly first-class manner. Large, Smooth Slide Hearth.


Prices.

	VV ILII	Low Closet	in place of	Legs and	Skirtings.	
8-19	9-19	8-21	9-21	9-23		10-25
\$23.33	\$23.47	\$25.47	\$25.80	\$28 00	\$30.66	\$32.00

Dimensions in Inches.

	SIZE OF OVEN.			Width of Oven	Fire Box	Height	Size	of CLO	SET.
		Width.	Height.				Length.	Width.	Height
8-19 and 9-19		19	131/2	111/2	26	30	22	19	9
8-21 and 9-21	21	20	131/2	13	26 .	30	24	19	9
9-23	22	23	141/2	141/2	29	31 1/2	26	21	10
9-25 and 10-25	25	24	16	17 1/2	29	32	28	21	10

Perfection Patented Oven Bottom, page 6. Bracket and Fancy High Shelves, pages 8 and 9.



RANGE, FOR WOOD ONLY, WITH RESERVOIR, LOW CLOSET AND TWO LOWER SHELVES.

Description.

Perfection A Ranges have Nickel and Tile Ornamentation, Tin Lined Oven Doors, Highly Polished Edges and are finished throughout in a strictly first class manner. Large, Smooth Slide Hearth.

Prices.

	With	Low Closet	in place of	Legs and	Skirtings.	
8-19	9-19	8-21	9 21	9-23	9-25	10-25
\$31.04	\$31.20	\$32.00	\$32.47	\$35.66	\$37.67	\$39.00

Dimensions in Inches.

		S1Z	E OF OVE	IN.	Width of Oven	Fire Box	Height.		of Clos	SET.
	Lei	ngth.	Width.	Height.	Rack.	Length.	Closet.	Length.	Width.	Height.
8-19 and			19.	131/2	111/2	26	30	22	19	9
8-21 and	9-21	21	20	131/2	13	26	30	24	19	9
	9-23	22	23	141/2	141/2	29	31 1/2	26	21	10
9-25 and	10-25	25	24	16	17 1/2	29	32	28	21	10

Perfection Patented Oven Bottom, page 6.
Perfection Rounded Bottom Copper Tank, page 7.
Bracket and Fancy High Shelves, pages 8 and 9.

Smart's Cook.




EXTRA LARGE AND HEAVY, LOW OVEN, WOOD COOK.

Smart's Cook has no Nickel Ornamentation. Oven Doors not lined.

	Size of Oven.	Length of Fire Box.	Price.
No. 9 5 Holes	27 x 27 x 15 inches	33 inches	\$2).73
No. 104 "	27 x 27 x 15 "	28 "	29.73

Smart's Cook.



WITH PLANISHED COPPER TANK AND TIN WARMING CLOSET.

Two Sizes, Nos. 9 and 10.

Description.

Smart's Cook has no Nickel Ornamentation, Oven Doors not lined with Tin. This Stove also supplied without Reservoir and Closet, but with Extension Top and Reservoir Covers, for convenience of Tinsmiths who prefer to make Reservoir and Closet.

Prices.

	Size of Oven.	Length of Fire Box.	
No. 9-Complete, with Tank and Closet,	27x27x15	33	\$44.33
No. 10- " " " "	27x27x15	28	44.56
No. 9-Extended, without Tank and Close	t, 27x27x15	33	32.08
No. 10 " " " "	27×27×27	28	32 30

Maple Cook.



WOOD COOK.

Description.

Maple Cook has Nickel Ornamentation, Polished Edges, Tin Lined Oven Doors, and finished throughout in a first-class manner. With or without Gridiron.

Prices.


No.	9-Square	 	 	 	 \$25.15
	Add for Gridiron	 	 	 	 1.00

Dimensions in Inches.

		SIZE OF OVEN		Width of	Fire Box	Height
	Length.	Width.	Height.	Oven Rack.	Length.	with Legs.
No. 9	22	21	14	101/2	25	29

The James . Smart . Manufacturing . Company, . Limited.

Maple Cook.



WOOD COOK WITH RESERVOIR AND CLOSET.

Description.

Maple Cook has Nickel Ornamentation, Polished Edges, Tin Lined Oven Doors and finished throughout in a first-class manner. With or without Gridiron.


Prices.

No. 9-With Reservoir and	Closet.	 	 	 	 	 		 \$34.66
Add for Gridiron.		 	 		 	 		 1.00

Dimensions in Inches.

		ZE OF O		Width of	Fire Box	Height	SIZE	OF CLO	SET.
	Length.	Width.	Height.	Oven Rack.	Length.	with Legs.	Length.	Width.	Height.
No. 9.	. 22	20	14	101/2	25	29	13	21	9

Genesee.



WOOD COOK.

Description.

Genesee has Nickel Ornamentation, Polished Edges, Tin Lined Oven Doors and finished throughout in a first class manner.


Prices

No.	90	• • • • • • • • • • • • • • • • • • • •	 	19.32
No.	9		 	20.57

Dimensions in Inches.

	S	ze of Ove	N.	Width of	Fire Box	Height
To the second	Length.	Width.	Height.	Oven Rack.	Length.	
Nos. 8 and 90	20	19	121/2	101/2	24	29
9	22	20	13	121/2	24	30

Genesee.



WOOD COOK WITH RESERVOIR AND CLOSET.

Description.

Genesee has Nickel Ornamentation, Polished Edges, Tin Lined Oven Doors and finished throughout in a first-class manner.


Prices.

Dimensions in Inches.

Size of Oven. Width of Fire Box Height Size of Closer. Length. Width. Height. Oven Rack. Length. with Legs. Length. Width. Height. No. 9. 22 20 14 12½ 25 30 11 22 9

The James . Smart . Manufacturing . Company , Limited.

Favorite.



WOOD COOK.

Description.

Favorite Stoves are made perfectly plain and sold at specially low prices.

Price.

No.	7	 						 						 									\$1	2	65	8
No.	8	 						 													 		I	5.	51	5

Dimensions in Inches.

No. 7	Length.	Size of Oven, Width.	Height	Width of Oven Rack.	Fire Box Length.	Height with Legs.
		16	11	01/2	21	24
No. S	18	13	1.2	11	22	26

The James . Smart . Manufacturing . Company , . Limited.

My Choice.



ELEVATED OVEN WITH PLATE WARMING SHELF.

Light weight. Low Priced. Nickel Ornamentation and Polished Edges.

Two Sizes.


Prices.

No. 8—Without Warming Shelf.	\$17.10
No. 9—With Warming Shelf	19.39
Warming Shelf, deduct when not wanted No. 9	.90
Always shipped unless otherwise instructed in order.	

Dimensions in Inches.

	Length.	Size of Oven. Width.	Height.	Width of Oven Rack.	Fire Box Length.
No. 8	22	11	13	111/2	24
No. 9	22	12	14	111/2	26

Farmers' Cook.



WITH PLATE WARMING GRATE. VERY HEAVY ELEVATED OVEN, WOOD COOK.

First Class Finish, Polished Edges. Either Pipe Top or Pipe Back.


Prices.

No.	9-Pipe Top and	l Plate	Warming	Grate	 	 	 	 	\$26.00
No.	9-Pipe Back	6.6							26.64
No.	10-Pipe Top	6.6	6.6	66	 	 	 	 	26.23
No.	10-Pipe Back	6.6	6.6						26.77

Dimensions in Inches

	Length.	Size of Oven. Width.	Height.	Width of Oven Grate.	Fire Box Length.
No. 9	29	14	14	12	30
No. 10	29	14	14	12	30

Farmer's Cook.



WITH LOW WARMING CLOSET.

First-class finish, Polished Edges. Either Pipe Top or Pipe Back.

Prices.

No. 9—Pipe Top and Closet	\$28.76
No. 9-Pipe Back and Closet	29.37
No. 10-Pipe Top and Closet	28.98
No. 10-Pipe Back and Closet	29.46

Dimensions in Inches.

		S	IZE OF OVEN		Width, of					
	I	ength.	Width.	Height.	Oven Rack.	Length.	Length.	Width.	Height.	
		. 29	14	14	12	30	15	27	9	
No.	10.	. 29	14	14	12	30	15	27	9	



ELEVATED OVEN.

	-				
Two Sizes:	}	9-21, 9-25,	"Direct'	and	"Cut Off."
	1				

Polished Edges, Nickeled Knobs and Plate Warming Shelf, unless otherwise specified in order.

Prices.

No. 9-21-" Direct"	Draft.	 		 		 	 	\$21.73
No. 9-21-"Cut Off"	66	 		 		 	 	22.33
No. 9-25-" Direct"	66	 	٠	 	. ,	 	 	24.33
No. 9-25-"Cut Off"	6.6	 		 		 	 	24.80

Dimensions in Inches.

	Length.	Size of Oven. Width.	Height.	Width of Oven Rack.	Fire Box Length
9.21	24	121/2	141/2	101/2	26
9-25	26	14	151/2	12	29

PERFECTION B RANGES

FOR

Coal and Wood.

Nickel and Tile Ornamentation.
Tin Lined Oven Doors.
Polished Edges.
Genuine Duplex Grate.
Patented Oven Bottom.
Lift Out Ash Pan.

Large Slide Hearth.

Extra Heavy Fire Box Linings.


Rounded Flues.

Rounded Water Front.

Rounded Bottom Copper Tank.

Reservoir Attachment can be easily fitted to a Square Range, or vice versa.

In Water Front Ranges the Grate and Grate Frame can be removed without disturbing the Water Front itself.



SQUARE.

Prices.


8-20—Sc	quare,	includin	g Coal a	nd Wood	Fixture	s	 	 \$32 00
9-20-	4.6	46	4.4	4.6	6.6			
9-22-							 	 35-33
0	9-22-	-Water	Fronts w	ith Iron	Coupling	S	 	 4.00
8-20 and	9-20-	- "	4.6	6.6	4.6		 	 3.50

Dimensions in Inches.

	Length.	Size of Oven. Depth.	Height.	Width of Oven Rack.	Fire Box Length, for Wood.
8-20 and 9-20	. 20	20	13	17	24
9-22	. 22	22	141/2	181/2	26

Not including swell of Oven Door.

Perfection Patented Oven Bottom, page 6. See page 42 for description.



WITH RESERVOIR.

Prices.

8-20-Wi	th Reservoir,	including	Coal and	Wood	Fixtures	 \$39.33
9-20-	6.6			. 66		 39-33
9.22-			66			

Dimensions in Inches.


	Length.	Size of Ove Depth.	N. Height.	Width of Oven Rack.	Fire Box Length. For Wood.
8-20 and 9-20	20	20	13	17	24
9-22	. 22	22	141/2	181/2	26

Not including swell of Oven Door.

Perfection Patented Oven Bottom, page 6.

Perfection Rounded Bottom Copper Tank, page 7.

See page 43 for description.



SQUARE, WITH HIGH SHELF.

Prices.

8-20-Square, with High Shelf, including Coal and Wood Fixtu	res \$36	.00
9-20- " " " " " " " " "	36	.00
9-22- " " " " " " " "	39	
9-22-Water Fronts, with Iron Couplings	4	00
8-20 and 9-20— " " "	3	.50


Dimensions in Inches.

	Length.	Depth.		Oven Rack,	For Wood,
8-20 and 9-20	20	20	13	17	24
9-22		22	141/2	181/2	26
N	ot includ	ing swell of	Oven Do	or.	

Perfection Patented Oven Bottom, page 6. See page 43 for description.

The James . Smart . Manufacturing . Company, . Limited.

Perfection B Range.



WITH RESERVOIR AND HIGH SHELF.

Prices.


8-20-1	With 1	Reservoir	and High	Shelf,	including	Coal a	nd Wood	l Fixtures,	\$43.33
9-20		6.6		6.6	66	66	6.6	6.6	43.33
9-22-	66	6.6	6.6	6.6	6.	66	66	66	47.33

Dimensions in Inches.

	Siz	E OF OVE	N.	Width of	Fire Box Length
	Length.	Depth.	Height.	Oven Rack.	for Wood.
8-20 and 9-20	20	20	13	17	24
9-22	22	22	141/2	181/2	26

Not including swell of Oven Door.

Perfection Patente I Oven Bottom, page 6. Perfection Rounded Bottom Copper Tank, page 7. See page 43 for description.



SQUARE, WITH HIGH CLOSET.


Prices.

8-20-Sq1	are, v	with Hig	h Closet	, includir	g Coal an	d Woo	d Fixtur	es	\$39.33
9.20-	6.6	6.6	6.6	6.6	. 6	6 6	6.6		39.33
9-22-	6.6	6.6	6.6	6.6	*6	66	6.6		42.66
	9-22-	-Water	Fronts v	with Iron	Couplings	S			4.00
8-20 and	9-20-	_ "	44	66	66				3.50

Dimensions in Inches.

Le	ength.	Size of Oven, Depth.	Height.	Width of Oven Rack.	Fire Box Length.
8-20 and 9-20	20	20	13	. 17	24
9-22	22	22	141/2	181/2	26

Not including swell of Oven Door. Perfection Patented Oven Bottom, page 6.



WITH RESERVOIR AND HIGH CLOSET.

Prices.

8-20V	Vith	Reservoir	and High	Closet,	Coal and	Wood	Fixtures	\$46 66
9-20-	6.6	6.	66	6.6	+ 6	6.6	6.6	46.66
9-22-	6.6	66	6.6	6.6	6.6	44	6.	50.66

		Dimensions	s in Inch	es.	
	Length.	Depth.	Height.	Width of Oven Rack.	Fire Box Length for Wood.
8-20 and 9.20	. 20	20	13	17	24
9-22	. 22	22	141/2	181/2	26
	Not	including sw	ell of ove	en door.	

Persection Patented Oven Bottom, Page 6. Rounded Bottom Copper Tank, page 7. See page 43 for description.


The Paris Range.

- In this Range the Fire Box is placed between the oven and reservoir, securing better results as regards both oven and reservoir, than by the old method. The superiority of this arrangement has been conclusively proved by experience, and the FARIS enjoys the distinction of having had the largest sale on record.
- The Draft Dampers are Double, one being on the front, below the fire box door, and one on the back, directly opposite. They are united by a connecting rod by which both are operated at the same time. They can be opened a little, a little more, or wide open, as desired; the draft is thus distributed equally under both ends of the fire box, and the result is even and beautiful burning.
- The Reservoir, by reason of its nearness to the fire box, can be heated more rapidly than in the usual position, and with no loss of fuel, and the water can be raised to boiling point in a few minutes.
- The Oven has a simple and practical Ventilating Attachment, which obviates the necessity of basting when roasting meats, and also prevents the centres from burning out.
- Every Range has Warming Closet, and can be fitted with Water Front if

The Genuine Duplex Grate is used in All Paris Ranges.

The James Smart Manufacturing Company, Limited.

Paris Range.



THE WORLD FAMOUS. FOR COAL OR WOOD.


NEARLY 100,000 NOW IN USE.

One Size. No. 5.22, 9-inch covers. Oven 22 inches long. With Reservoir, has 6 holes for cooking. Without Reservoir, has 8 holes for cooking. With or without Reservoir. With or without High Shelf.

FULL NICKELED.

No. 9.22—Six Holes, with Reservoir.	\$43.40
No. 9.22—Eight Holes without Reservoir	39.56
High Shelf, extra	3.58
Water Front, extra	3.84

Saxon Boy.



SQUARE.

Description.

Light Weight, Coal and Wood Cook, with Fire Brick or Cast Iron Fire Lox Linings as preferred. Plain Ornamentation. Oven Doors not line I with Tin, but whitened instead.


Prices.

No.	8-Square,	for both	Coal and	Wood.		 	 		 				\$17.81	
No.	9- "	6.6	66	- 66		 	 		 		6	 	17.81	

Dimensions in Inches.

	Length.	Size of CVEN. Width.	Leight.	Width of Oven Rack.	Fire Box Leigth.
Nos. 8 and 9.	18	20	11	13	23

Saxon Boy.



WITH RESERVOIR.

Description.

Light Weight Coal and Wood Cook with Fire Brick or Cast Iron Fire Box Linings, as preferred. Plain Ornamentation. Oven Doors not Lined with Tin but whitened instead.

Prices.

No. 8-Wit	h Reservoir	for both	Coal and	Wood	 	\$24.69
No. 9- '						

Dimensions in Inches.

Si	ZE OF OVEN.		Width of	Fire Box Lengta
Length.	Width.	Height	Oven Rack.	for Wood.
Nos. 8 and 9 18	20	11	13	23 .

Perfection Rounded Bottom Tank, page 7.

Saxon.



SQUARE.

Description.

A medium priced, first class Coal and Wood Cook. Nickel Ornamentation, Polished Edges and Tin Lined Oven Doors. Fire Brick or Heavy Cast Iron Fire Box Linings, as preferred.

Prices.


No.	8—S	quare,	for both	Coal a	and	Wood	 	 	 	 		 	\$21.00
No.	90-	6.6	6.6	6.6		4.							21.50
No.	9-	4.6	6.6	44									24.00

Dimensions in Inches.

	Si	ZE OF OVEN	ř.	Width of	Fire Box Length
N o	Length.	Width.	Height.	Oven Rack.	for Wood.
No. 8	18	20	11	13	22
No 90	18	20	11		22
No. 9	20	22	12	141/2	23

The James . Smart . Manufacturing . Company , Limited.

Saxon.



Description.

A medium priced, first class Coal and Wood Cook. Nickel Ornamentation, Polished Edges and Tin Lined Oven Doors. Fire Brick or Heavy Cast Iron Fire Box Linings, as preferred.

Prices.

No.	8-With	h Reservoir	and	Closet,	for Coal	and Woo	d	\$28.83
		44						
No.	9-	. 6	6.6	6.6	6.6	6.6		33.16

Dimensions in Inches.

					Fire Box Length
			Height.	Oven Rack.	for Wood.
No. 8		20	II	13	22
No. 90		20	II	13	22
No. 9	20	22	12	141/2	23

Perfection Rounded Bottom Copper Tank, page 7.



SQUARE.

Description.

A first class Coal and Wood Cook. Nickel Ornamentation. Patented Oven Bottom, Oven Doors not Lined with Tin but whitened instead. Plain Polished Edges. No Leg Skirtings. Fire Brick or Heavy Cast Iron Fire Box Linings as preferred. Square or Oval Fire Box.

Prices.

No.	8-20-S	quare,	for both	Coal and	Wood	\$20.57
No.	9-20-	6.6	44	6.6	66	
No.	9.22-	6.6	66	44	66	24.40

Dimensions in Inches.

	S	IZE OF OVI	en.	Width of	Fire Box
		Width	Height.	Oven Rack.	Length for Wood.
No. 8-20		20	II	13	22
No. 9-20		20	II	13	22
No. 9-22	20	22	12	141/2	23

Perfection Patented Oven Bottom, page 6.



WITH RESERVOIR.

Description.

A first class Coal and Wood Cook, Nickel Ornamentation, Patented Oven Bottom, Oven Doors not lined with Tin, but whitened instead, Plain Polished Edges, no Leg Skirtings. Fire Brick or Heavy Cast Iron Fire Box Linings, as preferred.

Prices.


No. 9-22—With Reservoir, for Coal and Wood......\$32.33.

Dimensions in Inches.

	S	ZE OF OVE	N.	Width of	Fire Box Length
	Length.	Width.	Height.	Oven Rack.	for Wood.
No. 9-22	20	22	12	141/2	23

Perfection Patented Oven Bottom, page 6. Perfection Rounded Bottom Copper Tank, page 7.

Perfection · Stoves · Ranges · Furnaces · and · Registers.



SQUARE. Description.

A strictly first-class Coal and Wood Cook, Nickel and Tile Ornamentation.

Oven doors Lined with Tin. Patented Oven Bottom, Very Highly Burnished Edges, Large End Shelf and Towel Bar. Leg Skirtings. Oven Door Pedal Opener. Fire Brick or Heavy Cast Iron Fire Box Linings as preferred. Square or Oval Fire Box.

Prices.

8-20—Sc	juare, f	or both	Coal and	Wood	\$21.90
9-20-	6.6	6.6	6.6	66	21.90
9-22-	66	6.6	6.6	46	25.73

Dimensions in Inches.

		SIZE OF OVI	BN.	Width of	Fire Box
	Length.	Width.	Height.	Oven Rack.	Length for Wood.
No. 8.20	18	20	11	13	22
No- 9-20	18	20	11	13	22
No. 9-22	20	22	I 2	141/2	23

Perfection Patented Oven Bottom, see page 6.



WITH RESERVOIR

Description.

A strictly first class Coal and Wood Cook, Nickel and Țile Ornamentation, Oven Doors Lined with Tin, Patented Oven Bottom, Very Highly Polished Edges, Leg Skirtings, Oven Door Pedal Opener, Fire Brick or Heavy Cast Iron Fire Box Linings, as preferred. Square or Oval Fire Box.

Prices.

Dimensions in Inches

	Dime	nsions in	inches.		
	SIZE OF OVEN.			Width of	Fire Box Length
	Length.	Width.	Height.	Oven Rack.	for Wood.
No. 9-22	20	22	12	141/2	23

Perfection Rounded Bottom Copper Tank, page 7.

Perfection Patented Oven Bottom, page 6.

Favorite Hotel Cook.

Description.

This stove is specially adapted for hotels, is heavy and well proportioned.

Coal Linings are not shipped unless specially ordered.

Dimensions in Inches.

Length. Width.

32½ 22½

No. 10.....

Height.


Length of

29

Fire Box for Wood.

The second secon	
Prices.	
No. 10—With Planished Copper Reservoir and Cast Closet. Coal Linings extra	

Favorite Hotel Cook.



Perfection . Stoves . Ranges . Rurnaces . and . Registers.

Wren.



SMALL FIVE HOLE RANGE.

Description.

A very low priced range. Five 8-inch Cooking Holes, Cast Iron Fire Box Linings, Nickel Ornamentation, Oven Door not Lined with Tin, but whitened instead. Thoroughly well fitted and suitable for small families.

Price.

Dimensions in Inches.

		S	IZE OF OVEN.			of Fire Box
		Length.	Width.	Height.	fo	or Wood.
No. S-15	 	 13	15	9		14

The Palace Aladdin Art Base Burner.

WITH DOUBLE HEATER ATTACHMENT.

- Is Generally Acknowledged to be the finest Heating Stove ever placed on the Canadian market. In every respect it has been pre-eminently successful.
- In Working Qualities it has never failed to give entire satisfaction, furnishing one-seventh more heating power than any other stove of same fire-pot capacity.
- The Marvelous Delicacy of the Mica Door Castings, and the absolutely accurate fit of the mitred corners, are features to which we ask special attention.
- Its Rare Beauty and Perfect Proportions attract wide spread admiration; as also the excellency of finish.
- The Distinguishing Features of the Oven Attachment to PALACE ALADDIN are:—

Remarkable Effectiveness in Baking and Roasting. Roominess of Oven.

Large and Well Proportioned Flues.

- Pot Holes Nearer to Fire than in any other Stove of its Class, and Ample Space to Accommodate 8-inch Ware.
- The Full Nickled Dome with tile panels and bronze statuette and the nickeled skirtings fittingly complete

THE HANDSOMEST AND BEST OF ALL BASE BURNERS.

The James Smart Manufacturing Company, Limited.

The Palace Aladdin.



ART BASE BURNER, FOR HARD COAL.

The James Smart Manufacturing Company, Isinifed.

Palace Aladdin.



WITH OVEN.

Golden Star.




FOR HARD OR SOFT COAL.

Direct Draft Surface Burner. Nickel Plated Knobs. Fancy Urn and Plain or Nickel Plated Foot Rails.

Prices.

No. 12—With Plain Foot Rail	\$11.89
No. 12—With Plated Foot Rail	13.03
No. 12-With Extra Finish, Nickelled Legs and Skirting, Bronzed	11.68
Statuette No. 15—With Plain Foot Rail	
No. 15—With Plated Foot Rail	- 40
No. 15-Extra Finish, Nickelled Legs and Skirtings, Bronze Statuette.	20.19

Gem Perfection.



DIRECT DRAFT SURFACE BURNER, FOR HARD OR SOFT COAL.

One Size, No. 50-Price. \$13.33

The Feed Door is large and Mica is protected by Ornamental Net Work.

The Check Draft Opening is placed in lower part of door where it will be more effective as a check draft, and aid combustion.

The Clinker Door is large.

The Grate Dumps and Shakes and can be easily removed.

The Fire Box and Linings are very heavy and can be easily taken out for repairs.

The Base is large and deep and accurately fitted.

There are no openings into the stove around top of base and stove can therefore be better controlled than with stoves where such openings are placed. The ornamentation and contour are particularly attractive.

The Alaska.



FOR HARD COAL.

Direct Draft Surface Burner, Self-Feeding.

Five Sizes.

Polished Edges and Nickel Knobs.

The favorite heater for Stores, Shops, Warehouses, Public Halls, School Rooms, Churches, Etc., and is also much used in halls of private houses.

Nos. 14 and 20 without Tea Kettle Attachment, less \$1.00 List.

Fire Pot in No. 21 extra long.

Dian	neter of Fire Pot.	Height of Stove.	Price.
No. 14	14 inches	60 inches.	\$18.76
No. 16	16	64 "	22.89
No. 18	18 "	68 ''	26.88
No. 20	20 "	72 "	27.67
No. 21	18 "	72 "	28.32

Belle.



GLOBE HEATER. FOR HARD OR SOFT COAL. DIRECT DRAFT.
Flues in Top Section.

No	10	II	12	13
Height of Stove	25 "	26 "		12 inches 28 "
Price	\$4.54	\$5.45	\$5 97	\$7.13

Perfection · Stoles · Ranges · Rurnaces · and · Registers.

Dandy Perfection.



NEW GLOBE HEATER, FOR SOFT AND HARD COAL.

Lower Fire Pots are much heavier than is usual in this class of stove.

No 9	10	12	14	15
Diameter of Fire Pot 9 in.	To in.			
Height of Stove 22	23	24 1/2	26 1/2	
Price \$3.25	\$4 00	\$4.75	\$5.75	\$7.50

The James Smart Manufacturing Company, Limited.

Dandy Perfection.

CUT OF THIS STOVE NOT RECEIVED IN TIME FOR CATALOGUE.

NEW GLOBE HEATER FOR HARD OR SOFT COAL, WITH SHEET IRON TOP.

Nos	9	10	12	14	15
					_
Diam. of Fire Pot	9 in.	10 in.	II in.	12 in.	14 in.
Height of Stove	32	33	34 1/2	361/2	39
Price for Castings and Rods,					
but without Sheet Iron Drum	\$3.50	\$4.25	\$5.00	\$6.25	\$8.00
With Sneet Iron Drum	\$4.00	\$4.75	\$5.50	\$6.75	\$8 50

Popular Perfection.

HEATING STOVE FOR WOOD, WITH AND WITHOUT "SYPHON FLUE."

NEW FOR 1891.

The patterns for this stove are entirely original and ornamentation and contour exceedingly attractive.

The "Syphon Flue" is new for 1891 and adds largely to the heating power of the stove and aids in keeping fire over night.

This Flue construction can not be shown in cut, therefore a sample should be ordered for examination.

The Popular Perfection also has illuminated front, which is not shown.

Castings are smooth and accurately fitted.

See prices on opposite page.

The James Smart Manufacturing Company, Limited.

Popular Perfection.



No	22	26
Height from floor, not including Top Ornament	37 inches	42 inches
Length of Fire Box	22 ""	26 "
Price without "Syphon Flue"	\$12.00	\$14.66
Price with "Syphon Flue"	13.50	16.25

Sanitary Perfection.

HEATING STOVE FOR WOOD, WITH AND WITHOUT
"SYPHON FLUE."

NEW FOR 1891.

There is nothing in the Canadian or United States market to compete with the Sanitary Perfection. No other wood parlor stove comprises circulation, ventilation and double heating together with our "Syphon Flue."

There are four "Circulating Flues," one at each corner, taking air from the floor, passing it along the sides, over the fire, through our "Patented Air Mixing Chamber" and into the room, and a double heating pipe can be attached to carry warm air to up stairs rooms.

The castings are smooth and accurately fitted and many parts of Sanitary and Popular Perfection are interchangeable.

A sample complete with "Syphon Flues" should be ordered for examination.

See prices on opposite page.

The James . Smart . Manufacturing . Company . Limited.

Sanitary Perfection.



No	22	26
Height from floor, not including Top Ornament	37 inches.	42 inches
Length of Fire Box	22 "	26 "
Price without "Syphon Flue."	\$16.co	\$18.66
Price with "Syphon Flue."	17.33	20.00

Popular Perfection.

OPEN FRANKLIN STYLE.

Sanitary Perfection.

OPEN FRANKLIN STYLE.

The Popular and Sanitary Perfection for wood can be easily converted to the Franklin Style by bolting in front as shown in cut and adding Coal Linings.

An Ornamental upper front is supplied so that the Franklin Style of Stove can be used in form of a closed front Coal Stove when desired.

This Stove has no competitor and as it is an excellent heater it should have an extended sale.

See prices on opposite page.

Popular and Sanitary Perfection



FRANKLIN STYLE.

No	22	26
Height from floor, not including Top Ornament	37 inches	42 inches
Length of Fire Box for Coal	16 "	19 "
Average Width of Fire Box for Coal	10 "	11 "
Price "Popular Perfection"	\$13.00	\$15.66
Price "Sanitary Perfection"	17.00	19.33

The James . Smart Manufacturing . Company , Limited.

Ruby.



TODD PARLOR STOVE. FOR WOOD ONLY.

Polished Edges, Nickel Ornamentation, Nickel Side Rail, Handsome Urn.

Length of Fire Box.	Price.
No. 2323 inches	 \$13.30
No. 27	 14.16

The James Smart Manufacturing Company, Limited.

Rosebud.



FOR WOOD ONLY, AND WOOD AND COAL.

An attractive Stove, Large Feed Door, Two Boiler Holes, Nickel Plated Swing Cover Ornament, Foot Rail and Name Plate.

One Size.

No. 17 for 17 in.	wood	 	 \$10,00
Extra for Coal L	inings	 	 1.25

Canada.



HEAVY BOX STOVE, WITH SLIDING TOP.

Sides in two pieces.


The number indicates length of Fire Pox.

No	 25	31

Perfection · Stodes · Ranges · Rurnaces · and · Registers.

The James . Smart . Manufacturing . Company . Limited.

St. Joe.



A SUBSTANTIAL BOX STOVE.


Sides in Two Pieces.

The number indicates Length of Fire Box.

Prices.

No.	2	22			. ,														 							(Б	5.	7	3
No.	2	5							 									 ,	 		,							6.	94	4
No.	3	, I							 					 														8.	5	3
No.	3	6					 							 													1	2.	7:	3

Pert.




MEDIUM WEIGHT BOX STOVE.

The number indicates Length of Fire Box.

No.	16	in.	 																	 			\$ 3.	30	0
No.	18	in.	 																				5.	30	0

The James · Smart · Manufacturing · Company, · Limited.

Perfection H.



DOUBLE STOVE, FOR WOOD.

		of Fire Box. Width.	Height.	Length.	Size of Oven. Depth.	Height
No. 30	26	13	14	28	17	13
No. 36	32	13	14	34	17	13
		F	Prices.			
No. 30-With	Single Do	ors				. \$14.00
No. 30-With	Double D	oors				. 14.70
No. 36—With	Single Do	ors				. 16.85.

Perfection . Stoves . Ranges . Burnaces . and . Registers.

17.55

No. 36—With Double Doors.....

Farmers' Boilers.



	Warranted to Boil Water in Forty Minutes.	
	. Size of Fire Box.	Capacity.
No.	30 12 x 9 x 24	22 gallons
No.	40	30 .
No.	50 14 x 11 x 30	45 "
	Prices.	73
No.	30—Complete	\$14.00
No.	40— "	18.13
No.	50— "	24.18
No.	30—Kettle only	4.00
No.	40— "	5.70
	50— "	
		1,

PERFECTION Triplex Flue Hot Air FURNACES

WE GUARANTEE ABSOLUTE CERTAINTY IN WARMING BUILDINGS TO 70° IN COLD-EST WEATHER, IF WORK IS DONE PER OUR INSTRUCTIONS.

Perfection Triplex Flue Hot Air Furnace.



FOR COAL AND WOOD.

With Paten	Cast Top and
------------	--------------

Three Sizes	No. 17 48 in. 35 in.	No. 20 50 in. 35 in.	No. 25 54 in. 45 in.
Diameter of Fire Pot Depth of Fire Pot	18 in.	22 in. 17 in.	25 in. 18 in.
Hasting County	Cubic feet.	Cubic feet.	Cubic feet.

Ieating Capacity.... 10,000 to 15,000 15,000 to 20,000 20,000 to 40,000 Prices quoted on application.

Perfection Triplex Flue Hot Air Furnace.




FOR COAL OR WOOD. Showing Galvanized Iron Top.

	Dirowing Carvains	bed Iron I op,	
Three sizes	. No. 17	No. 20	No. 25
Height with Casings	. 60 in.	62 in.	70 in.
Diameter of Casings	. 35 in.	35 in.	45 in.
Diameter of Fire Pot	. 18 in.	21 in.	25 in.
Depth of Fire Pot	. 15 in.	17 in.	18 in.
	Cubic feet.	Cubic feet.	Cubic feet.
Heating Capacity	10,000 to 15,000	15.000 to 20,000	20,000 to 40,000

Heating Capacity... 10,000 to 15,000 15,000 to 20,000 20,000 to 40,000 Prices quoted on application.

Perfection Triplex Flue Combined Furnace.




FOR WARM AIR AND HOT WATER. CAST TOP.

Three Sizes	No. 17	No. 20	No. 25
Height with Casings .	48 in.	50 in.	58 in.
Diameter of Casings	35 in.	35 in.	45 in.
Diameter of Fire Pot.	18 in.	21 in.	25 in.
Depth of Fire Pot	15 in.	17 in.	18 in.
	Cubic feet.	Cubic feet.	Cubic feet.
Heating Capacity	12,000 to 18,000	15,000 to 20,000	20,000 to 50,000

Prices quoted on application.

The James Smart Manufacturing Company . Limited.

Perfection Triplex Flue Combined Furnace.




FOR WARM AIR AND HOT WATER. GALAVANIZED IRON TOP.

Three Sizes	No. 17	No. 20	No. 25
Height with Casings	60 in.	62 in.	70 in.
Diameter of Casings	35 in.	35 in.	45 in.
Diameter of Fire Pot	18 in.	21 in.	25 in.
Depth of Fire Pot	15 in.	17 in.	18 in.
	Cubic feet.	Cubic feet.	Cubic feet.
Heating Canacity	12 000 to 18 000	IE 000 to 20 000	20,000 to 50.0

Prices quoted on application.

Perfection Furnace.

BRICK SET FORM.




FOR WOOD ONLY. WITH COVERING BARS.

Two Sizes Height of Castings Length of Fire Pot Size of Feed Door Opening. { Height Width	No. 45 36 in. 3 ft. 6 in. 17 in.	No. 50 36 in. 4 ft. 4 in. 17 in. 17 in.
Heating Canacity	Cubic feet.	Cubic feet.

Prices quoted on application.

Perfection Furnace.

PORTABLE FORM.



FOR WOOD ONLY. GALVANIZED IRON OR CAST TOP, AS PREFERRED.

Two Sizes Height with Casings and Galvanized Top. Height with Casings and Cast Top. Length of Fire Pot. Size of Feed Door Opening \(\) Height.	No. 45 4 ft. 6 in. 3 ft. 6 in. 3 ft. 6 in. 17 in. 17 in.	No. 50 4 ft. 6 in. 3 ft. 6 in. 4 ft. 4 in. 17 in.
Heating Capacity	Cubic Feet. 15,000 to 25,000	Cubic Feet. 25,000 to 50,000

Prices quoted on application.

1891

TO DEALERS :-

We desire to call your attention to our PERFCTION HOT AIR REGISTERS shown herewith.

The castings, fitting and finish are unsurpassed in any line now in the market; and the new and elegant design commends itself to dealers and consumers, as evidenced by the large demand.

Special facilities have been arranged for nickel plating; and we can now produce very attractive registers at moderate prices in this style of finish, which is, as a rule, greatly preferred by purchasers.

In Japan, we use high grade material, making a finish that is glossy and hard and not liable to chip off.

Please write for discounts.

THE JAMES SMART MFG. Co., LIMITED, BROCKVILLE, ONT.


Price List.

JAPANNED OR NICKEL PLATED.

S	QUARE I	FLOOR R	EGISTER	.S.	F	ROUND F	LOOR RI	EGISTE	RS.
Size of Open- ing.	Register with Border.	Register without Border.	Border Only.	Face Plate Only.	Size of Open- ing.	Register with Border.	Register without Border.	Border Only,	Face Plate Only.
6x 8	\$ 3.05	\$ 1.90	\$1.15	\$0.65	7	\$ 2.60	\$ 1.50	\$1.10	\$00.60
6x10	3.50	2.25	1.25	.75	8	3.05	1.85	I.20	.65
8x10	3.90	2.50	1.40	.85	9	3.55	2 25	1.30	.85
8x12	4.30	2.80	1.50	1.00	10	4.15	2.75	1.40	1.00
9x14	5.25	3.60	1.65	1.50	12	5.40	3.60	1.80	1.50
IOX12	5.40	3.60	1.80	1.50	14	7.65	5.40	2.25	2.00
IOXI4	6.15	4.25	1.90	1.85	24	22.00	15.50	6.50	6.45
12x15	8.40	6.00	2.40	2.40	30			12.15	13.40
12x19	10 30	7.50	2.80	3.20		eh and 30-in			
14x22	13.70	10.00	3.40	3.90		ra heavy ar ches, publi			

NOTICE.—If Borders are desired with Registers, please state so, as no Borders are shipped unless specified in order.

Smoke Pipe Registers.



Japanned or Nickeled, 7-inch, 8-inch, 9-inch..... Each, \$3.00

Square Floor Register.



With Border.

Round Floor Register.




Without Border.



Convex
Side Wall
Registers.


Price of Size of Register Price of with Open-Face Frame. Only. ing. 6x10 \$3.00 \$1.25 8x12 4.00 1.75 9x14 5.00 2.25 IOX16 6.25 3.15



REGISTER.

WALL FRAME.


Cast Iron Box Frames.



For Convex Registers.

For Register, 6x10 8x12 9x14 10x16 Price, \$1.05 \$1.20 \$1.50 \$2.00

Round Wall Ventilators.



Japanned or Nickel Plated.

6-in. 7-in. 8-in. 9-in. \$1.30 \$1.50 \$1.80 \$2.00

Circular Top Ventilators.



Size of Openings	7 x 10	8 x 12	9 x 13
Price	\$2.25	\$2.95	\$3.40

CAPACITY SQUAR	RE REGISTERS.	CAPACITY RO	UND PIPES.	CAPACITY	ROUND REGISTERS
Size of Opening.	Square Inches.	Size of Opening.	Square Inches.	Size of Opening.	Squar
6 x 8	. 32	7	38	7	26
6 x 10	40	8	50	8	33
8 x 10	53	9	63	9	42
8 x 12	64	10	78	01	52
IO x I2	80	12	113	12	75
9 x 14	84	14	154	14	103
10 x 14	93	16	200	16	134
12 x 15	120	18	254	18	169
12 x 19	150	20	314	20	209
14 x 22	205	22	380	24	300
10 4 6	11 PM 12	24	450	30	470

Sugar Kettles.



No. 1—Capacity, 4 pails, weight, 47 poundsPe	er lb.,	\$0.04
No. 2-Capacity, 5 pails, weight, 60 pounds	66	.04
No. 3—Capacity, 6½ pails, weight, 73 pounds	6.6	.04

Cauldrons.



Ne. 4—Capacity, 10 pails, weight, about 121 pounds......Per lb., \$0.04

Hollow Ware.




8

KETTLE OR STRAIGHT POT.



SPIDER.

Spiders, each	7 in.	8 in. \$0.20	9 in. \$0.36	10 in, \$0.44
Straight Pots, each	0.52	0.63	0.73	0.81
Bellied Pots, each	0.61	0.70	1.93	0.93
Sets, (Straight, Spider and two K	Cettles) 1.30	1.55	1.82	2.06



Perfection . Stoves . Ranges . Rurnaces . and . Registers.



Tea Kettles.

EACH.


7 in. 8 in. 9 in. 10 in. \$0.56 \$0.69 \$0.84 \$0.79

Scotch Bowls.

Nos.... 1, 2, 3, 4, 5, 6 Each...\$0.32 .40 .48 .56 .64 .72




Chaudrons or Camp Ovens.



The James Smart Manufacturing Company . Limited.

Vienna Roll Pans.




No. 4 - For Six 7-in. Vienna Rolls... .. Per dozen, \$2.50



No. 3-For Two 12-nch Vienna Rolls..... Per dozen, \$2.75

French Roll Pans.



No. 5-For Twelve 3 inch French Rolls Per dozen, \$5.00

The James . Smart . Manufacturing . Company . Limited.

Cake Pans.




No. 1. For eleven 23/4 in. Round Cakes. per dozen, \$3.75



Nc. 2. For eight 4 in. Oval Cakes..... per dozen, \$3.75

Waffle Irons.



REVOLVING.



Coppered Stove Lid Lifters.



Coffee Pot Stands.

Slice Bar or Poker NICKEL PLATED.

Stove Lid Lifters. COPPERED.

Per dozen \$0.60


One dozen in package.

Coffee Pot Stands.

Japanned. Per dozen, \$1.60 Nickel Plated.....

Tin Stove Furniture.

Set consists of One Copper-Bottomed Roiler, One Copper-Bottomed Tea Kettle, One Tea Pot, One Skimmer, One Dipper, Two Pie Pans, Two Pudding Dishes, One Dripping Pan, One Steamer.



Price per Set.

No. 8—Boile							\$4.26
No. 9- "	66 61	66	66	. 6	66	6.6	4.67
No. 8- "	46 61	46	6.6	**	with	66	4.60
No. 9- "	66 60	4.6	6.6	66	66	6.6	5.00
	Boiler and	Tea Kettle	, with S	pun Copper	Pit Botto	m.	
No. 8-With	out Steam	er					\$4.93
No. 9- "	6.6						5.37
No. 8-With	Steamer						5.27
No. 9- "	. 66						5.70

BOILERS.



No.	8-Plain	Copper	Pit Bottom	 		 	 	 	 . Each,	\$2.50
No.	9- "	. 66	66							2.75
	10- "		6.6	 	 	 	 	 	 66	3.50
No.	8-Spun	Copper	Pit Bottom	 	 	 	 	 	 . 66	3.00
No,	9- "	46								3.25

The . James . Smart . Manufacturing . Company, . Limited.

Excelsior Stove Pipe Damper.



SHEPHARD'S PATENT.

For Style, Finish, Durability and Convenience, Positively Unequalled.

ADVANTAGES OVER ALL OTHER DAMPERS.

No springs to burn out or become worthless by having temper drawn out by heat.

Spindles held in by new method, and do not get loose by warping of damper plate.

Friction on outside of pipe, at both ends of spindle.

Acorn tip at end of spindle not only ornamental, but covers hole in pipe that is punched for spindle.

Spindles flat and do not turn in plate.


The shoulders on damper-plate are made more flaring than usual, so as not to rub against the fin or rough edge around hole made in pipe for spindle.

Nickel-plated or japanned "always cool" ventilated handles, substantial and ornamental, and, unlike wooden handles, do not drop out.

One dozen in box.


The James Smart Manufacturing Company, Limited.

Eclipse Stove Pipe Dampers.




One dozen in box.

CRESCENT STOVE PIPE DAMPERS.



Japanned Handles.

Cold Handle Double Pointed Smoothing and Polishing Irons.



MRS. POTTS'

TROY POLISHING IRONS.



SMOOTH FACE.



PERFORATED FACE.


The James Smart Manufacturing Company, Limited.

Self-heating Sad Irons "ACME."



One Size. Heated by Slugs.

CHARCOAL.



Polished Edges and Face. Green and Gold Tops.

	Face.		
No. 3	7 x3¾ in.	7 ½ lbs.	\$10.00
	6 1/4 x 4 1/2 in.		10.00
No. 5	10½x3 in.	12 "	22.50
No. 6	12 x3½ in.	131/2 "	27.00

Sad Irons.



Sizes: 4, 5, 6, 7, 8, 9 and 10 lbs. each.

> 200 lbs. in case. Assorted to order. 600 lbs in barrel.

Sad Iron Stands




No. 2. Japanned.

No. 2..... Per dozen, \$1.50

One dozen in package.


Cottage Fire Iron Sets.



Quarter Size of Nos. 22 and 26.

Per dozen sets No. 26-Berlin Bronzed Stand, Japanned Poker, Shove! and Tongs....\$19.60 No. 22—All Berlin Bronzed..... No. 126—Berlin Bronzed







Stamped, No. 57.



Stamped, No. 55.



Stamped, No. 70.



Cast Iron, No 1.



	Ja	pani	ned.	Tinne	ed
ner	100	C.	80	\$2 m	-

TAO.	5/1	per doz.,	DI.00	\$2.70
No.	55,	66	1.40	2.10

No. 70, " .90 1.20 No. 1, " 1.20

No. 2, " 1.30


Cast Iron, with Wood Handle, No. 2.

The James . Smart . Manufacturing . Company, . Limited.

Bissell's Carpet Sweeper. THE MAGIC.

Two Rubber

Tire Wheels.



One

Dozen in

Case.

Per dozen

\$44.00

IMPROVED CROWN JEWEL.

Has Four Wheels.

Rubber Friction and

Dumping

Device.



One

Dozen in

Case

Per dozen \$55.00

HAND DECORATED.

GRAND RAPIDS.

Automatic

Reversible

Bail, Broom

Action,

Spring

Dumping

Device.

One

Dozen in

Case.

Per dozen

\$66.00

Mahogany Finish, Hand Decorated, Rubber Tires and Buffers.

The James Smart Manufacturing Company, Isimilect

Daisy Churn.




FOUR SIZES.

No. 1 No. 2 No. 2 Price Each \$8.50 \$9.00 \$1

No. 3 \$10.00 No. 4 \$12.00

Flour Sifters.




THE VICTOR.

Scoop, Mixer, Sifter, Measure, Rice Washer and Strainer, Combined.
Per Dozen. \$2.50

The James . Smart . Manufacturing . Company , Limited.

Patent Adjustable Fire Back.




SCHENCK'S.

Will Fit any Cook Stove.

Half dozen in case

Adjustable Stove Trucks.



FOR MOVING STOVES ON FLOOR.

Per Set \$2,50

Dee's Patent Stove Carriers.

Will fit and carry any Stove made.

We are sole manufacturers for the Dominion of this useful appliance.

Seasoned Hickory or Rock Elm Handles. Malleable Iron Grips.


\$3.75

Without Chains...

Prices.

Cast Iron Sinks.


ORDINARY.



Price, Each.

14x20	15x27	\$6x24	16x30	18x24	18x30	18x36
\$2.20	\$2.90	\$2.70	\$3.50	\$2.80	\$3.75	\$4.75
	18x42	20x36	. 20x4		x38	

MAGEE PATENT.




 18x24
 18x30
 20x36
 22x42

 \$3.10
 \$4.15
 \$5.80
 \$7.45

The James . Smart . Manufacturing . Company , . Limited.


Eureka Sap Spouts.



WITH WIRE HOOKS.

Berlin Bronzed, complete, with Wire Hooks..... per 1,000, \$18.00 500 or 1,000 in case, also in boxes of 100.

Willis Sap Spout.




ALL CAST IRON.

Berlin Bronzed...... per 1.000, \$25.00 500 or 1,000 in case, also in boxes of 100.


The James . Smart . Manufacturing . Company , Limited.

Creamer Gates.



WITH LOCK LEVER.

Full size cut, No. 200. Bent, with Flange.




Full size cut, Nos. 10 and 100. Straight.

One dozen in package.

The James · Smart · Manufacturing · Company , · Limited.

Screw Plug Creamer Gates.


LOOSE KEY.



Full size cut, Nos. 150 and 250.

No. 150—Metal Barrel and Plug, Berlin Bronzed Iron Loose Key..per doz. \$3.00 No. 250—Metal Barrel and Flug, White Metal Loose Key...... "3.00

TIGHT KEY.




Full size cut, No. 50.

No. 50-All White Metal.... Per doz., \$3 00


The James . Smart . Manufacturing . Company , Limited.

Cheese Press Screws.



134 in. diameter, 22 inches over all, Square Thread, Extra Refined Iron, \$5.00

Curd Sink Casters. Cheese Vat Gates.





3 inch Wheel Curd Sink Casters 11/2 inch Face		
434 inch Wheel Curd Sink Casters, 13/8 inch Face	6.6	1.00
No. !-Cheese Vat Gates, 21/8 in. diam. 7 in. long	6.6	1.70
No. 2—Cheese Vat Gates, 3 in. diam., 81/4 in. long.	66	2.60
No. 6—Cheese Vat Gates, 21/2 in. diam., 8 in. long. Bent	6.6	3.00


The James . Smart . Manufacturing . Company , . Limited.

Revolving Clothes Reel Irons.



LIGHT WEIGHT. JAPANNED.

No. 3-Round Base, per doz., \$13.00 | No. 31/2-Square Base, per doz, \$13.00




HEAVY WEIGHT. JAPANNED.

No. 2-Round Base, per doz., \$18.00 | No. 21/2-Square Base, per doz., \$18.00

The James . Smart . Manufacturing . Company , Limited.

Clothes Wringers.







NOVELTY.

ROYAL CANADIAN.

ROYAL DOMINION.


Novelty..... Per doz., \$66.00
Royal Canadian.... "
Royal Dominion... "68.00

Best White Rubber Rolls.


11 inch Rolls. 12 inch Rolls. \$68.00 \$92.00 72.00 96.00

Quarter dozen in case.

Mops.







COMBINATION.

Combination. Per dozen, \$1.40 Niagara... "1,40


One dozen in bundle.

The James Smart Manufacturing . Company, Limited.

"Empire Tub Bench."



"Empire" Mangles.



Hard Maple Frame. One Maple Roll. One Brass-Covered Roll. Rolls 24 inches long, 4 inches in diameter Each, \$20.00 "Empire" Washers.



Rolls 24 irches long.

Per dozen......\$42.00

The James . Smart . Manufacturing . Company, . Limited.

Enterprise Meat Choppers.




No. 5-Small Family Size, as per cut, Galvanized	Each,	\$2.60
No. 10-Medium Family Size, as per cut, Galvanized		3.00
No. 12—Medium Family Size, to Screw to Table, Galvanized.		2.50
No. 22—Large Size, to Screw to Table, Galvanized		4.00
No. 32—Hotel Size, to Screw to Table, Galvanized		6.00

Hale's Meat Cutters.

Japanned.

Complete with Tin Spout.

No. 1—6-inch Cylinder, each, \$2.00



Perfection . Stoves . Ranges . Burnaces . and . Registers.

Meat and Vegetable Choppers.

STARRET'S PATTERN.



Nos. 1, 2, 3 and 4.

No. 1-8-inch Cylinder, Family	SizeEach,	\$ 5.00
No. 2-10-inch Cylinder, Famil	y Size	7.00
No. 3-12-inch Cylinder, Famil	Size	10.00


Sausage Stuffers.



STOW'S PATTERN.

No. 0.... Each, \$1 75 No. 1.... "1.40

Dixon's Meat Cutters.



Japanned.

No. 30—7-inch Cyl., Per doz., \$27.00 No. 40—9-inch Cyl., "33.00

The James . Smart . Manufacturing . Company, . Limited.

The Carver's Friend.




KNIFE SHARPENER.

Made of Best Turkish Emery, Solid, Strengthened with Steel Wire.


Per dozen. \$3

One-half dozen in package.

Steak Hammers.




Clothes Pins.



Two gross in box.


The . James . Smart . Manufacturing . Company , Limited.



Banner
Lamp
Burners.


		Per	doz,
No.	ο.	 9	31.30
No.	Ι.	 	1.50
No,	2.	 	2.10

Tubular Lanterns.



BURN'S PATENT LIFT. Per dozen.....\$10.00


Lantern Burners.



No. 1-Medium..... Per dozen, \$1.50




Tinners' Snips.



No.	7—Cuts	4	inches.		 	 					 -						 Each,	\$4.50
No.	8—Cuts	3	1/2 inches	š								 				 	 6.6	3.50
No.	9—Cuts	3	inches.			٠					 					 	 6.6	2.75

Cast Steel Rivet Sets.



Full size cut of No. 3.

No.	2-Fits No.	7	Rivets		 			 							Per	dozen,	\$4.75
No.	3-Fits No.	8	Rivets.		 			 								66	4.75

Soldering Coppers.



With Square Points for common use.

No.	I -Weight	per	pair,	I lb Per pound,	\$0.65
No.	11/2-Weight	per	pair,	1½lbs	.60
No.	2 -Weight	per	pair,	2 lbs	.60
No.	21/2-Weight	per	pair,	2½ lbs	.60
No.	3 -Weight	per	pair,	3 lbs	.60

The James Smart Manufacturing Company, Limited.

Repairs.

We supply the following repairs for Stoves not shown in Catalogue, viz. :

Argand .- Base Burner, all pieces.

Argand Range. - Fire box linings, covers and centres for No. 9 size only.

Central, Wood Cook .- All pieces.

Climax. - Wood cook. - All pieces.

Conqueror.—Wood cook, front fire box grate, bottom fire box grate, fire back, covers and centres.

When ordering Bottom Grate, state if *upper* or *lower* one is required. Front Grate, if hinged to swing, or if held in place by slots.

Classic .-- Parlor stove, all pieces.

Dufferin.—Wood Cook, bottom fire grate, front fire grate, fire back, covers and centres.

Dominion.-Wood Cook, fire back and front grate.

Good Luck.-Wood Cook, all pieces.

Gold Coin .- Base Burner, all pieces.

Olive Branch.—Coal and Wood Cook, all pieces.

In ordering state if repairs are for stove with mica front or without.

Parlor Beauty.-New, all pieces.

Parlor Beauty.—Old Style. No repairs can be supplied.

Success.—Coal and Wood Cook, all pieces.

In ordering state if repairs are for stove with mica front or without.

Superior .- Coal and Wood Ranges, all pieces.

Shining Light.—Base Burner, fire pot, grate and grate bar.

Treasure.-Wood Cook, all pieces.

Ordering Repairs.

Special directions for ordering repairs for stoves shown in catalogue.

- Alaska.—Cannot supply the mica door without hinges as used on old style stove.

 Frame and door at present used on new stove will have to be sent instead.

 In ordering repairs always state if the shaker is at the side or front of stove, also if ash pit door is required. State if door lifts off or is hinged.
- Maple Cook. Wood Cook.—Has an upper and lower bottom fire grate. In ordering state which one is required. If front fire grate, state whether to swing on hinges or set in slots.
- My Choice. Elevated Oven.—Old style has two slide doors in front and front grate set in slots. New style has one front swing door and front grate is hinged. Note this in ordering and if slide hearth is required state for which style of stove.
- Perfection.—In ordering repairs for Perfection stoves and ranges always give the full number, thus:—No. 9-19, 9-21, 9-23, etc., as the case may be. Not simply state No. 9. Also give the date as cast upon the stove.

Cistern Pumps.

Fig I.



Fig. I represents our long barrel Cistern Pump, with Brass Valve Seat and Coupling below Base, arranged for attaching lead or iron pipe. The whole of the interior surface of the cylinder is first bored perfectly true, and then polished, making a perfect acting and durable pump. The fulcrum and handle revolve, and can be adjusted to any position by turning the set screw under the handle. The piston, or upper valve, can be drawn out at the top by loosening the set screw that holds the fulcrum in position, and the lower valve can be reached by disconnecting the cylinder where it joins the base, there being only two bolts to remove. Thus the entire pump can be taken apart without detaching the pipe or disturbing the fixtures around it. By raising handle to its full height, the water may be let off to avoid freezing.

Sizes and Prices.

Fig	. г,	No.	02	inch bore,	I	inch	pipe.	 \$3.50 each
6.6	I,	66	1-21/4	-66	I	. 66	66 .	 4.00 each
			2-21/2					
6.6	I,	66	3-23/4	66	11/4	66	66 .	 5.00 each
			4-3		1 1/2	66		
			5-31/4		11/2	66		

When ordered for iron pipe only, we deduct 25 cents from list.

Pitcher Spout Cistern Pumps.

Figs. 2 and 3.








Fig. 3. Open Top Pitcher Spout, Cistern Pump.

These cuts represent our improved Pitcher Spout Pumps. Both kinds are sold at the same price. They are the most popular styles now in existence. The cylinder is bored uniformly round and straight, and afterwards smoothly polished throughout, causing the pump to work with the When using iron utmost ease and efficiency. pipe dispense with brass tail piece and screw into coupling. When ordered for iron pipe only, deduct 25 cents from list.

Sizes and Prices.

Fig. 2 or 3.

No. 1-21/2	inch bore,	for I	inch	pipe\$	54.25
No. 2-3	iuch bore,	for 1 1/4	inch	pipe	4.75
No. 3-31/2	inch bore,	for I1/4	inch	pipe	5.25
No. 4 -4					
No. 5-41/2	inch bore,	for 1 1/2	inch	pipe	6.25

Pitcher Spout Pumps.

BRASS CYLINDER.

Fig. 44.




Fig. 44 is a cut of our Brass Cylinder Pitcher Spout Pump, having the part traversed by the piston made of brass and piston of galvanized iron. It is the same style and for the same purposes as the Iron Pump Fig. 2, having the advantage of non-corrosive metal where it comes in contact with the leather, rendering it very durable.

Sizes and Prices.

Fig. 44.

No. 1-21/2 inch bore, for I inch pipe....each, \$ 7.00 No. 3-31/2 inch bore, for 11/2 inch pipe....each, \$12.00 When fitted with Brass Hot Water Valves, add to list \$2.00 each.


Anti-Freezing Well Pumps.

Figs. 5 1-2 and 9.

Fig. 5½—Without Brace, as per cut. Fig. 9 —With Brace.

OPEN TOP.

For Wells 30 feet deep, and under; or by extension of set length to lower cylinder to within 28 feet of bottom, can be used for wells up to 50 feet deep.



When set ready for use, should have our improved Foot Valve and Strainer attached to the lower end of the suction pipe, which always keeps the valves in perfect working order.

Cylinders are Bored and Polished and have Brass Valve Seats.

Sizes and Prices.

With	2½x10	in. Cyl.,	for	I 1/4	in. pipe	Each,	Fig. 5½. \$7.75	Fig. 9. \$8.00
	23/4 x 10	4.6	66	11/4		"	8.00	8.25
		6.6				66	8.50	8.75
4.4	31/4 x 10	66	6.6	11/4			9.00	9.25

Foot Valve and Strainer, Fig. 35. Each, \$1.50
Standard and Cylinder only. 50 cents less.

Anti-Freezing Well Pumps.

CLOSE TOP.

Figs. 6 and 10.

Fig. 6-Without Brace.

Fig. 10-With Brace as per cut.



For same class of Wells as Figs. 51/2 and 9.

And same in construction and design as these figs. excepting top which is close to prevent sticks, stones or foreign substances being thrown into pump.

Fitted for 11/4 in. pipe.

Cylinders 10 inches long inside a d of various diameters as per price list.

Prices.

Standard, Set Length and Cylinder as per cut.

	Fig. 6.	Fig. 10.
28		
With 21/2 in. Cylinder	. \$8.50	\$ 9.00
With 23/4 "		9.25
With 3 "	. 9.25	9.75
With 31/4 "	9.75	10 25
Foot Valve and Strainer		1.50
Without Set Length, off		.50

Anti-Freezing Well Pump.

Fig. 8.

FOR SAME CLASS OF WELLS AS FIGS. 51/2, 6, 9 AND 10.



Fig. 8 represents design of standard with Gas Pipe Thread cut near the Spout, the Pipe or Set Length being connected or screwed at that point, instead of the base, as in those of more ancient origin. By this mode of attaching the pipe better results are obtained with less labor.

1st.—The water does not come in contact with the stock of the pump below the spout, consequently there is no danger of bursting by freezing.

2nd.—As the water passes directly to the spout through the pipe, less pumping is required to bring water to the surface, the barrel or stock of the pump not being filled, as is the case in the old-style pumps.

The base is closely fitted around the pipe, which obviates all vibration, consequently less danger is experienced from breakage in handling or shipping.

This pump is fitted with a brace, as is shown in cut, which prevents oscillation while pumping, by simply fastening it to the platform with a bolt.

Cylinders same as in Figs. 51/2, 6, 9 and 10.

Sizes and Prices...

Complete as per cut.	Each
Fig. 8—2½ inch Cylinder	\$8.25
Fig. 8—23/4 " "	8.50
Fig. 8—3 " "	. 9.00
Fig. 8—3 ¹ / ₄ " "	. 9.50
Standard and Cylinder only, less	. 50
Foot Valve and Strainer, Fig. 35	. 1.50

Perfection . Stores . Ranges . Rurnaces . and . Registers.

Anti-Freezing Well Pump.

Fig. 12.

For Wells up to 100 feet in Depth.

CLOSE TOP.

Fig. 12 presents our extra strong Close Top Standard and Cylinder. We recommend it for use in wells up to 100 feet in depth and guarantee perfect satisfaction. This Pump is cut for wrought iron pipe in the stock near the spout, and is less liable to burst by freezing; in fact it is an impossibility for it to be injured from this cause, as no water is contained in the stock.

In ordering state the size of cylinder wanted; also state the kind of rods intended to be used, as we make the stubs either to weld to connecting rods or to screw with 3% in. gas pipe couplings.

If for drilled well, state size of hole.

Cylinders 14 or 18 inches long inside and any diameter, see list,

Prices.

Fig. 12 Standard and Cylinder for 1½ in. pipe..... Each, \$16.00 Fig. 35, Foot Valve with Strainer...... "1.75

Perfection . Stoves . Ranges . Rurnaces . and . Registers.

Anti-Freezing Well Pump.

Fig. 13.

FOR EXTRA DEEP WELLS.




Fig. 13 represents our New Style Deep Well Pump. A boy 15 years of age can work the pump with ease at the depth of 50 feet, and a man at 150 feet. This pump is particularly adapted for the use of public and street wells, or other positions where it is desirable to raise large quantities of water. The standard is supported by two strong IRON BRACES, which bolt on the pump and platform thereby obviating the possibility of

working loose under any circumstances, which is so apt to be the case in street wells. The Bearer is constructed with a rubber bumper to prevent breaking the lever by carelessness. The Tight Top is intended to obviate the possibility of things being thrown in, thereby putting the pump out of working order. The pump can be set ready for operation without the inconvenience of going down into the well. We make five sizes of Cylinders 2, 2%, 3, 3% and 4 inches. A 3 inch will be sent

for this pump, as follows: unless otherwise ordered.

Size and Price.

Fig. 13—Standard and Cylinder, for 1½ in. pipe. \$20.00 Foot Valve and Strainer, for 1½ in. pipe, Fig. 35. 1.7

Perfection . Stodes . Ranges . Rurnaces . and . Registers.

Anti-Freezing Engine Well Pumps.

Fig. 14.

COMBINED LIFT AND FORCE PUMPS.



The stock and air chambers are made in one piece, with a tube extending downwards through the latter, at once preventing the escape of air from the chamber, and providing the best possible guide for the piston rod below the brass stuffing box in the cap. Hose can readily be attached to the spout by means of an attachment provided for that purpose. These pumps are arranged for wells not exceeding 30 feet in depth, but by the addition of pipe above the cylinder, are often used in wells of 50 feet or greater depth.

DIRECTIONS.

When used as a Force Pump, the thumbscrew in the air chamber should be screwed tight; take out the screw when used as an ordinary lift pump.

Sizes and Prices.	
	Each.
Fig. 14, with 234 inch Cylinder, for 11/4 inch pipe.	\$13.00
Fig. 14, with 3 inch Cylinder, for 11/4 inch pipe	
Fig. 14, with 31/4 inch Cylinder, for 11/4 inch pipe	. 14.00
Fig. 14, with 31/2 inch Cylinder for 11/4 inch pipe	. 14.50
For 3 feet Hose and Discharge pipe, extra	. 3.00
For Valve and Strainer, Fig. 35	. 1.50

Foot Valves are especially useful with Force Pumps.

Engine Well Pumps.

Figs. 15 and 16.



This cut represents our Engine Well Pumps, with revolving fulcrum, and rubber buffer to relieve the concussion of the lever at the termination of its downward stroke, for use in wells not exceeding 150 feet in depth. They combine the principle of atmospheric pressure, or suction, with the force pump, and having an air chamber connected, are calculated to throw a constant stream. They are adapted not only to the ordinary uses of a well pump, but also to the washing of windows, buildings, vehicles, and the extinguishment of fires. With three feet of hose and a discharge pipe. water can easily be thrown over a two story building; or with sufficient hose, over the entire premises. When used as a common lift pipe, the nut on the top of the air chamber should be unscrewed two or three turns; when used with the hose, the nut should be screwed down perfectly tight.

Prices.

Fig. 15—For Wells up to 50 feet, for 11/4 in. pipe, without brace, hose or nozzle, with cylinder 10 in. long inside.

23/4 inch. 3 inch. 31/4 inch. 31/2 inch.

\$13.00 \$13.50 \$14.00 each.

Fig. 16—For Wells up to 150 feet, with 14 inch pipe, with brace, hose, nozzle and cylinder 14 or 18 inch long inside. No set length.

With Cylinder 3 inch diameter......\$20 00

Foot Valve and Strainers, 11/4 inch, \$1.50; 11/2 inch, \$1.75

Perfection . Stoves . Ranges . Burnaces . and . Registers.

The James . Smart . Manufacturing . Company , Limited.

Engine Well Pump.

Fig. 46.

ARRANGED WITH BRAKES OR WOOD LEVERS FOR DEEP WELLS.




Fig. 46 illustrates our Engine Well Force Pump Standard and Cylinder, for Wells up to 150 feet in depth. It is arranged with Brakes or Hard Wood Levers, and is remarkably effective as a fire engine, throwing with ease a powerful stream 75 feet from the Hose Pipe. For forcing water in any direction, watering lawns, washing windows, etc., it is unequalled, while invaluable for all uses of an ordinary Well Pump, It is strong, durable and made anti-freezing.

Sizes and Prices.

Fig. 46—3 in. Cyl. for 1½ in. pipe	Each,	\$22.00
Fig. 46—3½ in. Cyl., for 1½ in. pipe	6.	23.00
Without Hose and discharge Pipe, deduct off list	+ 6	3.00

Perfection . Stoves . Ranges . Rurnaces . and . Registers.

House Force Pumps.

Without Air Chamber.




Fig. 30.

Figs. 25 and 30 represent our plain, Single-acting Force Pumps, with Revolving Fulcrum. The Piston Rod, Stuffing Box and Valve Seat are Brass.

Made for iron or lead pipe.

Sizes and Prices.

Iron. Brass Cylinder.

Fig. 25 or 30, No. 2—

21/2 in. bore for 11/4

in. pipe......\$ 9.50 \$14.00 Fig. 25 or 30, No. 4—

3 in. bore, for 1 1/4 or

1½ in. pipe..... 11.00 15.00

With Brass Valves for hot liquids \$2,00 extra,

We Bore and Polish our Cylinders, all kinds and sizes, making a perfect acting and durable pump. With Air Chamber, Having Two Discharges.




Fig. 31.

Figs. 26 and 31 represent same pump as Figs. 25 and 30 with the addition of an Air Chamber. It is used principally for supplying tanks in houses, bathing purposes, etc. The Piston Rod, Stuffing Box and Valve Seat are Brass. Made for iron or lead pipe.

Sizes and Prices.

Iron. Brass Cylinder.

Figs. 26 or 31, No. 2— 2½ in. bore, for 1¼

in. pipe.....\$10.00 \$15.00

Figs. 26 or 31, No. 4-

3 in. bore, for 11/4 or

1½ in. pipe...... 12.00 16.00

Cylinders Bored and Polished.

Perfection . Stodes . Ranges . Rurnaces . and . Registers.

House Force Pumps.

With Air Chamber, having Two Discharges.



Fig. 32.



Fig. 27.

Figs. 27 and 32 represent same pumps as Figs. 26 and 31, with the addition of a Lower Discharge on the Air Chamber for attaching Cock. This Pump is designed to be placed in a kitchen over a sink, where water may be drawn from the Cock or forced into a tank above for bathing or other purposes, by extending sufficient pipe from the upper discharge.

Sizes and Prices.

Figs. 27 or 32.

Brass Cyl. No. 2-21/2 in. bore, \$11.00 \$16.00 No. 4-3 in. bore.... 13.00 17.00 With Air Chamber, Cock and Two Discharges.



Fig. 33.



Fig. 28.

Figs. 28 and 33 represent our Iron Force Pump, with Cock on side and outlet on top of Air Chamber. The Cock is designed for discharging water in a sink or pail; and the outlet on top of the Air Chamber is convenient for forcing water into an upper story, the Cock being closed. The Piston Rod, Stuffing Box and Valve Seat are brass. The two sizes we make are fitted for lead or iron pipe.

Sizes and Prices.

Figs. 28 or 33.
Iron. Brass Cyl. \$17.50

18,50

Pipe, fitted for Cock, extra.....

Perfection . Stoves . Ranges . Rurnaces . and . Registers.

House Force Pumps.

Mounted on Plank with Connecting Rod. Guide and Air Chamber.

Figs. 35, 36 and 37.



Fig. 36.

Fig. 36 represents our Single Acting Suction and Force Pump, nounted on plank for house use. It is constructed for drawing water from cisterns and wells, and forcing it up into reservoirs, bathing rooms and other elevated points where water is required for domestic purposes. This Pump we can confidently recommend to the trade as the Best Iron Force Pump for house purposes in the market.

The interior of the Cylinder is accurately bored and highly polished, and the Piston Rod, Stuffing Box and Pipe Couplings made of Brass

We make two sizes, right and left handed, fitted for lead or iron pipe.

Prices.

Fig. 35 Fig. 36	
2½ inch Bore\$15.00 \$17.00	\$19.50
3 inch Bore 16.50 18.50	21.00
Add for Brass Valves for Hot Liquids	2.00
Add for Brass Cylinder, 21 inch	6.00
Add for Brass Cylinder, 3 inch	6.50

Wind Mill Force Pump.



sired point. The
Cock is of the best steam metal, with union
joint on horizontal pipe, and all easily governed by the operator at the surface of the
ground.

Sizes and Prices.

Improved Close Top Two Cylinder Force Pump.




Fig. 52.

Fig. 52 represents our newly improved Close Top Two Cylinder Force Pump, for steamboats, factories, railroads, etc. It combines advantages contained in no Pump made by any other manufacturer. We now construct it with a vacuum chamber on the suction, which is cast in one piece with the discharge air chamber, bolted to the bed plate, directly under the air chamber, forming an air cushion for the ascending column of water.

Size and Prices.

Fig. 52, No. 15—3 in. cyl., 1½ in. pipe 1¼ in. hose...\$40.00 \$60.00

Perfection . Stodes . Ranges . Burnaces . and . Registers.

The James . Smart . Manufacturing . Company, . Limited.

Drive Well Points.



Fig. 23.



Fig. 24.

Each, \$5.50

place of perforated brass, for gravel or stony strata, 1¼ in.

Pump Cylinders.



All have bored and polished interiors and brass valve seats, fitted for 1½ or 1½ in. pipe. Made perfectly smooth outside without bands, for drilled wells, when required.

Prices-Each.

Diameter	Incl	Inches long inside			
Inside.	10	14	18		
2			6.50		
21			7.00		
21	4.35	6.50	7.50		
23	4.70	7.00	8.00		
3*	5.00	7.50	8.80		
31	5.30	8,00	9.00		
$3\frac{1}{2}$	5,60	8.50	9.50		
4	6.25	10.00	10.56		

Any of the above can be supplied with Brass Bodies at special figures.

When ordering give length, diameter and size of pipe.


Strainer and Rest.



Shows an Improved Strainer and Rest for the lower end of Iron Suction Pipe.

Size of Pipe...... 1 1/4 1 1/2 inch. Prices............ 75a. 87c.

Brass Hose Coupling.



Sizes.... 3/4 I I 1/4 inch. Prices...\$1 50 \$4.00 \$8.00 per doz.

Goose Neck.



Perfection . Stores . Ranges . Burnaces . and . Registers.

The James . Smart . Manufacturing . Company , Limited.

Brass Discharge Pipes.



3/4 inch..... Per dozen, \$8.00 | 1 inch...... Per dozen, \$10.00

FOOT VALVE. CHECK VALVE.

WITH STRAINER.





Fig. 35 is for attaching to lower end of Suction Pipes, to relieve the upper working Valves of the weight of the column of water when the pump is not in use.

Fig. 21 shows Check Valve suitable to place at any point in the Suction Pipe, and used for the same purpose as Fig. 35. Either one of the above valves should be used with all Pumps, as they will save much trouble and expense in repairing valves, priming pumps,

Fig.	35—Price\$1.25	\$1.50	\$1.75
Size	of Pipe1	11	14 in.
Fig.	21 - Price\$1,50 of Pipe	81.75	\$2.00

"Champion" Double Acting Force Pump.

Galvanized Iron with Wood Handles.

Throws a continuous stream or spray, suitable for sprinkling Lawns and Trees, washing Windows, Carriages, Boats. Valuable for Veterinary purposes.

Per dozen.....\$24.00

Iron Cocks.



Suitable for all kinds of Force Pumps.

Price..... Each, \$3.00 Or with Brass Tail Piece.. " 3.25



Perfection . Steves . Ranges . Rurnaces . and . Registers.

